

# Monitoring the freshness of fish: development of a qPCR method applied to MAP chilled whiting

Alexandre Dehaut, Frédéric Krzewinski, Thierry Grard, Marlène Chollet, Philippe Jacques, Anne Brisabois, Guillaume Duflos

#### ▶ To cite this version:

Alexandre Dehaut, Frédéric Krzewinski, Thierry Grard, Marlène Chollet, Philippe Jacques, et al.. Monitoring the freshness of fish: development of a qPCR method applied to MAP chilled whiting. Journal of the Science of Food and Agriculture, 2016, Monitoring the freshness of fish: development of a qPCR method applied to MAP chilled whiting, 96 (6), pp.2080-2089. 10.1002/jsfa.7322. anses-02384438

### HAL Id: anses-02384438 https://anses.hal.science/anses-02384438

Submitted on 28 Nov 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

- 1 Monitoring the freshness of fish: development of a qPCR method applied to MAP chilled 2 whiting 3 4 Running title: qPCR method targeting torA applied to monitoring the freshness of fish 5 Alexandre Dehaut <sup>a</sup>, Frédéric Krzewinski <sup>b</sup>, Thierry Grard <sup>c</sup>, Marlène Chollet <sup>d</sup>, Philippe Jacques <sup>d</sup>, 6 Anne Brisabois <sup>a</sup> & Guillaume Duflos <sup>a,\*</sup> 7 8 9 <sup>a</sup> ANSES, Laboratoire de Sécurité des Aliments - Département des Produits de la Pêche et de 10 l'Aquaculture, Boulevard du Bassin Napoléon, 62200 Boulogne-sur-Mer, France 11 <sup>b</sup> Université de Lille 1, Unité de Glycobiologie Structurale et Fonctionnelle - UGSF - Bâtiment 12 C9, 59650 Villeneuve d'Ascq, France 13 <sup>c</sup> Université du Littoral Côte d'Opale - ANSES, Équipe Biochimie des Produits Aquatiques, 14 Boulevard du Bassin Napoléon, 62200 Boulogne-sur-mer, France 15 d Laboratoire Régional de Recherche en Agroalimentaire et Biotechnologie - Institut Charles 16 Viollette, Equipe ProBioGEM, Université de Lille1, Sciences et Technologies, Polytech'Lille, 17 Avenue Paul Langevin, 59655 Villeneuve d'Ascq, France 18 \*Corresponding author: E-mail: guillaume.duflos[at]anses.fr - Phone: +33 321 992 500 - Fax: +33
- 20 Published in Journal of the Science of Food and Agriculture and available online at
- 21 https://doi.org/10.1002/jsfa.7322

321 991 725

$^{\circ}$	$^{\circ}$
Z	_

#### **ABBREVIATIONS**

23 bp: Base pair, Cq: Cycle quantification, HyC: Hybridisation coefficient, IAC: Internal 24 amplification control, MAP: Modified atmosphere packed, SSO: Specific spoilage organisms, 25 TMA: Trimethylamine, TMAO: Trimethylamine N-oxide, TSA-YE: Tryptone soya agar - yeast 26 extract, TVB-N: Total volatile basic nitrogen, TVC: Total viable count. **ABSTRACT** 27 28 BACKGROUND: Monitoring of early stages of freshness decay is a major issue for the fishery 29 industry to guarantee the best quality for this highly perishable food matrix. Numerous techniques 30 have been developed, but most of them have the disadvantage of being reliable only either in the 31 last stages of fish freshness or for the analysis of whole fish. This study describes the development 32 of a qPCR method targeting the torA gene harboured by fish spoilage microorganisms. torA 33 encodes an enzyme that leads to the production of trimethylamine responsible for the 34 characteristic spoiled-fish odour. 35 RESULTS: A degenerate primer pair was designed. It amplified torA gene of both Vibrio and 36 Photobacterium with good efficiencies on 7-log DNA dilutions. The primer pair was used during a 37 shelf-life monitoring study achieved on modified atmosphere packed, chilled, whiting 38 (Merlangius merlangus) fillets. The qPCR approach allows detecting an increase of torA copies 39 throughout the storage of fillets in correlation with the evolution of both total volatile basic 40 nitrogen (-0.86) and trimethylamine concentrations (-0.81), known as spoilage markers. 41 CONCLUSION: This study described a very promising, sensitive, reliable, time-effective, 42 technique in the field of freshness characterisation of processed fish.

43

44

**Keywords:** *torA*, qPCR, modified atmosphere packed fish, freshness assessment.

The fishing industry is a sector in constant evolution which in Europe has been committed to
quality assurance processes for nearly twenty years, 1,2 in response to the expectations of both
consumers and the professionals in this sector. Quality assurance in the food and feed industry is a
concept that includes many factors such as food safety, freshness, nutritional composition, and
organoleptic properties; these can be affected by numerous parameters along the supply chain,
such as catching conditions, handling, processing and storage. <sup>3</sup> The major issue is thus to develop
tools to improve quality control through traceability, good production practices and laboratory
analysis.
The fish freshness state could be defined as the early phase of shelf-life. In fishery products, there
is a particularly close relationship between freshness and quality. Indeed, numerous studies using
quality indicators established that the global quality of fish decreases with the increase of shelf-
life, <sup>4-6</sup> while a development of spoilage and/or pathogenic flora is recorded. <sup>7</sup> Fish spoilage is the
result of the variation of physical, biochemical and microbial parameters in fish muscle. Spoilage
flora is one of the major causes of quality decay in fish products, responsible for the alteration of
organoleptic properties 7,8 and the production of hazardous molecules such as biogenic amines. 9
Generally, fish quality can be assessed using a wide range of techniques such as sensory, chemical
or microbiological analyses. <sup>10-13</sup>
For a long time, fish quality was assessed in the fish industry through sensory analysis by well-
trained in-house panel, with the evaluation of many parameters characterizing skin, eyes, gills or
texture thanks to methods as Torry scheme, EU scheme or more recently QIM. 1, 10 Unfortunately,
much skills were lost with the arrival of new staff, very few of whom were experienced in fish
quality assessment. 14 Despite this problem, sensory analysis remains one of the most suitable
methods of assessing fish freshness; although it suffers from drawbacks such as panel subjectivity
and training costs or the impact of environmental factors. 10

Chemical analysis can be routinely used to assess the freshness of fish, using total volatile basic nitrogen analysis (TVB-N). This technique is particularly suitable for species belonging to the Pleuronectidae, Merlucciidae and Gadidae families and redfish (Sebastes spp.), but it is more a rejection tool than a monitoring method. Indeed, TVB-N analysis is usually described as unsuitable during the first 10 days of chilled storage. 15 Rejection values have been fixed for three different groups of species. For the group comprising Merlucciidae, Gadidae and Atlantic salmon (Salmo salar) the maximum TVB-N value accepted has been set to 35 mg of nitrogen/100 g. 16 The major drawback concerning TVB-N analysis is that there is a large range of fish, commonly classified as oily fish such as Scombridae, Clupeidae or sea bass (Dicentrarchus labrax), 17 for which it cannot be used for assessing freshness nor can it be used for numerous kinds of processed fish. The microbiology of fish is well documented 7, 18, 19 and the microbial ecology of the entire flora observed on fish has been described. 20, 21 In addition, two concepts have been defined: spoilage flora, describing all species able to spoil a food matrix, and specific spoilage organisms (SSOs). SSOs are a restricted range of the spoilage flora, active depending on the conservation process, such as Shewanella putrefaciens on chilled marine fish and Photobacterium phosphoreum on CO<sub>2</sub> and modified atmosphere packed (MAP) chilled fish. <sup>18</sup> A selective and sensitive conductance method exists allowing quantification of *Photobacterium* between 15 and 55 hours, <sup>22</sup> but as numerous microbiological methods, the major drawback of such technique is that they are highly time-consuming. Despite this knowledge, to date no microbial techniques are routinely used to assess fish freshness. Nonetheless, one of the metabolites synthesised by SSOs, trimethylamine (TMA), contributes to the characteristic odour of spoiled fish and can be considered as a fingerprint of the presence of SSOs. Most TMA production is the result of trimethylamine N-oxide (TMAO) reductase (EC 1.6.6.9) activity <sup>23</sup> encoded by the torA gene part of tor operon. <sup>24</sup> This gene is documented in the literature <sup>25, 26</sup> with numerous sequences available in databases such as GenBank and EMBL thanks to whole genome sequencing of various *Vibrio* strains.

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

Thus the aim of this study was to explore a new field of investigation for fish freshness assessment that had only been slightly explored so far. <sup>27, 28</sup> Based on a previous study, <sup>27</sup> a new qPCR method was developed targeting the *torA* gene, a marker of specific spoilage flora. This study first aimed to design new primers with a reduced number of degenerate nucleotides using a new design strategy. Particular care was paid to decreasing the amplicon size, providing more insight into the specificity and efficiency of the developed primer pair and amplifying the *torA* gene in SSOs other than *S. putrefaciens*. The developed technique was applied, along with other routine freshness estimation methods, to a shelf-life study on MAP whiting (*Merlangius merlangus*) fillets. Whiting was chosen as it was the fourth most consumed species in France in 2012 and because MAP fish is increasingly popular among fish consumers.

#### **MATERIAL AND METHODS**

#### **Bacterial strains and culture conditions**

Numerous strains were used to carry out the development of this qPCR method. Five strains from the genera *Shewanella*, *Photobacterium* and *Vibrio*, preferentially originating from sea water or sea products, were used for the optimisation of the quantitative PCR (Table 1). Additional strains were used for a specificity study, consisting of *Vibrio* strains from the Centre de Ressources Biologiques de l'Institut Pasteur (Paris, France) and strains from the American Type Culture Collection (ATCC) (Manassas, VA, United States) (Table 1). Finally, ten strains from the laboratory's own collection were also added to this specificity study (Table 1). Four of these strains were previously isolated from a spoiled whiting (*M. merlangus*) and identified as *Shewanella baltica* thanks to 16S rRNA and *gyrB* gene sequencing; <sup>29</sup> the remaining six were previously isolated from different fish industry environments and were identified by 16S rRNA gene sequencing.

All strains were grown in aerobic conditions. All *Vibrio* strains were grown on tryptone soya agaryeast extract (TSA-YE) plates using CM0131 base from Oxoid (Dardilly, France) complemented with NaCl 1.5% (w/v) at 30 °C for 24 h. All *Photobacterium* and *Shewanella* strains were grown

under the same conditions but the incubation temperature was lowered to 25 °C. The six strains from the fish industry were incubated on TSA-YE plates at 30 °C for 24 h. Strains purchased at ATCC were grown on TSA-YE plates at 37 °C for 24 h, except *E. coli* which was grown at 44 °C for 24 h and *S. enterica* grown on nutritive agar from Biorad (Marnes-la-Coquette, France).

#### **DNA** extraction from pure culture

Firstly, a control of the homogeneity of CFU on plates, for instance shape, texture and colour, and Gram colorations were performed as basic controls of purity. Then, a loop of biomass was harvested on plates and subjected to DNA extraction with the DNeasy Blood & Tissue Kit from Qiagen (Courtaboeuf, France). The manufacturer's instructions were then followed except for the final step; RNase from Promega (Charbonnières-les-Bains, France) was added after the lysis step at 56 °C. As advised by a previous study, <sup>30</sup> the final elution with AE buffer was split into two elutions of 50 μL to increase the DNA concentration of the eluate. Finally, DNA concentration was measured with a DS-11 Spectrophotometer from Denovix (Wilmington, NC, USA). DNA purity of the samples was checked regarding the A<sub>260</sub>/A<sub>280</sub> and A<sub>260</sub>/A<sub>230</sub> ratio. DNA samples were conserved at +4 °C for a maximum of one week. On the day of analysis, all sample concentrations were set to a maximum concentration of 15 μg mL<sup>-1</sup>, as required by Roche Diagnostic (Meylan, France), the manufacturer of the qPCR master mix, and 10-fold DNA dilutions were achieved on 8-log scale, down to 0.15 pg mL<sup>-1</sup>.

#### Design of degenerate oligonucleotides

Design of degenerate oligonucleotides involved six steps (Figure S1). First, data concerning coding sequences of the *torA* gene from the genera *Shewanella*, *Photobacterium* and *Vibrio* were retrieved from GenBank and EMBL using SeqinR package with R 3.0.0 (Algorithm S1). <sup>31</sup> Redundancy in the recovered sequences was checked using the non-redundant databases (NRDB) program <sup>32</sup> to ensure that there was no duplicate sequence in the dataset. This first step lead to the selection of 58 *torA* coding sequences comprising 9 sequences of *Shewanella*, 9 of *Photobacterium* and 40 of *Vibrio* (Table S1). Alignment of *torA* sequences shown heterogeneity

among species. This fact and the willingness of developing a qPCR able to amplify the maximum number of torA sequences from different species lead to decide to design degenerate primers and use them in SYBR green qPCR, although it offers potentially less specificity than the use of probes. Two sets of suggested degenerate primers, forward and reverse, were obtained for each bacterial genus thanks to software developed by ProBioGEM laboratory (Lille, France). Briefly, as described in a previous publication, 33 after alignment, this software calculates the hybridisation coefficient (HyC). HyC value depends directly from the number of degenerate nucleotides and the number of possible combinations. It is reflecting the hybridisation ability of the primer: the lower the value, the greater the probability of specific annealing will be. For this purpose, primers size and the lower and upper limits of the Hyc were set as follows: 20 bp primers with HyC between 1 and 32 to avoid non-specific hybridisations. The sets of primers were then screened with an algorithm developed specifically (Algorithm S2) in R 3.0.0 following the usual prerequisites for the design of oligonucleotides. <sup>34</sup> Retained primers were then tested against initial sequences with AmplifX v.1.6.2 35 and results were collected in an ad hoc database allowing an improved and reliable dynamic comparison of primer pairs and theoretical PCR products. The first letter of primer identifiers corresponds to the first letter of genus, e.g. S for Shewanella, and the second letter, F or R, corresponds to the type of primer: forward or reverse. Primers selected after consulting the database were then analysed using the Oligoanalyzer 3.1 program <sup>36</sup> to check their propensity to form secondary structures. The limit of primer dimer tolerance concerning binding energy was fixed as follows: down to -3 kcal/mol for hairpin, -5 kcal/mol in the 3' region, and -6 kcal/mol in the internal region of the primer for self and cross-dimer. In regard to the risk of crossdimer formation, two approaches were used regarding both intra-species cross-dimer (e.g. SF against SR) and inter-species cross-dimer (e.g. SF with PF, PR, VF and VR). Finally, primers were compared with M. merlangus (taxid: 8058) sequences in BLAST. Once design and screening were completed, desalted primers were synthesised by Sigma-Aldrich (Saint-Quentin Fallavier, France).

#### **Amplification conditions**

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

Amplifications were performed in a final volume of 20 µL using a LightCycler 480 system II from Roche Diagnostics (Meylan, France). 5 µL of template DNA was amplified with pairs of primers. The LightCycler® 480 SYBR Green I Master kit from Roche Diagnostics (Meylan, France) was used with final concentration of primers of 0.5 µM and 1 µM. DNA samples, primers and master mix were dispensed into 96-well white microplates from Roche Diagnostics (Meylan, France). The initial denaturing step was carried out at 95 °C for 10 min. The amplification cycle was 95 °C for 30 s, annealing for 30 s and elongation at 72 °C for 30 s. The cycle was repeated 45 times. Annealing temperatures of 62 °C and 64 °C were tested to avoid non-specific hybridisation, which can easily occur with degenerate primers. Finally, a melting curve was plotted from 60 °C to 95 °C with a slope of 0.11 °C.s<sup>-1</sup>.

#### Post qPCR controls

At the end of qPCR, each PCR product, mixed with the appropriate volume of 6X gel loading dye from New England Biolabs (Evry, France), were ran in a 1.2% agarose - Tris EDTA Buffer provided by Eurobio (Les Ulis, France), together with a New England Biolabs 100 bp DNA ladder. Forward and reverse sequencing were performed by Genoscreen (Lille, France) either directly on the PCR product or on band extracts from the gel by Wizard SV Gel and PCR Clean-Up System from Promega (Charbonnières-les-Bains, France), depending on the quality of electrophoresis pattern. Consensus of forward and reverse sequences were obtained using the CAP3 algorithm. <sup>37,38</sup>

#### Preparation of modified atmosphere packed fillets

Twenty-one whole gutted whiting were bought at a local fish wholesaler in Boulogne-sur-Mer (France), acquired from the morning auction to guarantee a better freshness grade. Initial good qualities of fish were estimated by looking at various parameters such as skin, eyes and gills. Fish were caught during spring, in the north-east Atlantic and packed with ice into insulated polystyrene boxes; unfortunately no precise date of catch was given by the retailer. Fish were processed at the *PFI-Nouvelles Vagues* innovation platform (Boulogne-sur-Mer, France). The two

fillets of each fish were skinned and placed in a unique container equipped with a piece of blotting paper. The 21 containers were then each placed in a T200 tray-sealer from Multivac (Lagny-sur-Marne, France) for modified atmosphere packing. The modified atmosphere was achieved by creating a vacuum down to 10 kPa, and injecting Aligal 15 gas,  $CO_2$  (50%) and  $N_2$  (50%), to a pressure of 90 kPa. Finally, the containers were thermally sealed with a plastic film. Containers were then placed in a Binder climatic chamber (Tuttlingen, Germany) at  $1 \pm 1$  °C throughout the shelf-life study. The day the fillets were prepared was considered as D01 of the study.

#### Fish shelf-life assessment

The qPCR method was applied for the assessment of modified atmosphere packed, whiting fillets throughout shelf-life. Three containers, each containing the fillets of a single fish, were retrieved from the climatic chamber on days D01, D03, D06, D08, D10, D13 and D15. qPCR analysis was performed on each container as described below and, simultaneously, total viable count (TVC), total volatile basic nitrogen (TVB-N) and trimethylamine (TMA) assays were carried out, serving as a reference for monitoring the overall microbial load and freshness grade of the fillets. TVC, TVB-N and TMA measurement methods were performed as previously reported. <sup>27, 39</sup> Briefly, TVB-N and TMA analysis were performed by acid titration on a deproteinized, steam distillated extract. TVC was achieved on plate count agar according to the ISO 7218 standard.

#### Fillet preparation for analyses

The process described below was the same for each container. The container was opened under sterile conditions and the two fillets were cut into approximately 1 cm edge cubes that were mixed to obtain a representative matrix of the overall state of fish flesh. 25 g of mixed flesh cubes were reserved for microbiological and molecular analysis and 100 g for TVB-N/TMA assays. Concerning molecular analysis, a 10-fold diluted sample was used, consisting of 25 g of flesh cubes stomached in 225 mL of buffered peptone water solution. Two mL of the filtrate were distributed in cryotubes and conserved in liquid nitrogen until DNA extraction, performed for all samples five days after the 15th day of shelf-life. Before DNA extraction, 1.5 mL of the filtrate was

centrifuged at 5000 g for 10 min. The supernatant was then eliminated and extraction was performed on the pellet as described above. PCR amplification was carried out as previously described with primer concentrations of 1  $\mu$ M and an annealing temperature of 62 °C.

#### RESULTS AND DISCUSSION

#### Degenerate primer design and selection in silico

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

The first step of primer design, involving the calculation of HyC leads to lists of potential forward and reverse primers for each bacterial genus. Thus, 1667 forward and reverse primers were suggested from the alignment of *torA* sequences of *Vibrio*, the majority having HyC values lower than 16. Concerning Shewanella, the software revealed 546 forward and reverse primers with also a majority of HyC values under 16. Regarding the alignment of *Photobacterium torA* gene sequences, 395 forward and reverse primers were found for HyC values ranging from 2 to 32. The subsequent screening using R software, used to ensure that primers met the usual conditions for primer design, considerably reduced the lists of potential primers, with a percentage of primer suppression between 88.2% and 95.7%, depending on the lists. Using AmplifX software, more than 13,600 potential amplicons (from 100 to 700 bp) were suggested for the 58 torA gene coding sequences used for primer design, using the reduced list of primers created with the screening step described above. By setting up a database it was possible to consign all the potential amplicons and to facilitate the selection process. A first list of primers suitable for the study of secondary structure formation risk was established (Table 2), based on their ability to theoretically give PCR products in a majority of the 58 torA gene coding sequences. None of the primers displayed presented a risk of hairpin formation; however six primers showed a self-dimer formation risk (Table 2). At this stage, the six most promising pairs were preserved for further investigation (Table 2). None of these primers led to proven homology with M. merlangus sequences in BLAST (data not shown). Regarding the risk of formation of intra-species cross-dimer, only SF34 x SR288 is able to produce a dimer (Table 2). Concerning inter-species

cross-dimer, seven primers risk forming secondary structures (Table 2), that is why the multiplex approach was reconsidered and the following studies were focused on a genus-specific primer pair selection.

#### *In vitro* characterisation of primer pairs

In a first step, each primer of the six promising pairs was screened for their ability to auto-amplify under qPCR conditions, using the melting curve as a marker of dimer formation (data not shown). This step led to the exclusion of PF23xPR167, SF34xSR288 and VF351xVR572, as a clear peak appeared in the melting curves of PR167, SR288 and VR572 (Table 2). The three last pairs were used to amplify bacterial DNA, although it was noted that PR168 and SF240 should not be used at a final concentration above 0.5 μM as secondary structures were observed at 1 μM. Among these pairs, PF23xPR168 displayed the expected PCR product at 200 bp for *P. phosphoreum* and *P. damselae*; unfortunately, more than ten different and non-specific bands were observed for *Shewanella* and *Vibrio* species. Similarly, SF140xSR36 gave poor results for each species with numerous and non-specific bands and absence of PCR product at the expected size of 450 bp. More interestingly, at 1 μM VF239xVR353 gave a single band at the expected size of 420 bp for *Vibrio* and *Photobacterium* genera (Table 1), and a single band was also observed for *S. putrefaciens* but of a smaller size. After this first characterisation, VF239xVR353 was the only pair selected for optimisation of the conditions for amplification, sensitivity and efficiency testing.

#### Primer pair efficiency, qPCR condition adjustments and sensitivity

The efficiency and the sensivity of the VF239xVR353 pair was assessed by amplifying 10-fold dilutions of DNA extracts of *P. phosphoreum*, *P. damselae*, *V. vulnificus* and *V. alginolyticus*. Results obtained with two primer concentrations and two different annealing temperatures are given in Table 3. Among all the above-mentioned conditions, the R² values were higher than 0.99 from 75 ng to 75 pg of template DNA. Special care was paid to target DNA quality and only fresh DNA extracts were used for qPCR analysis; indeed after several freezing/thawing cycles of DNA samples, a Cq drift was observed for the more highly-diluted samples (data not shown). The

conditions giving the best amplification efficiency were 62 °C for annealing temperature with primer concentrations of 1 µM. The mean efficiency values were respectively 92.6%, 91.6%, 92.6% and 93.0% for *P. phosphoreum*, *P. damselae*, *V. vulnificus* and *V. alginolyticus*. Thus, despite a size longer than the average PCR products described in the literature, the use of this primer pair allowed to produce an amplicon with acceptable efficiencies with regard to the different tested species. Finally, the estimated limit of detection of the primer pair for all the strains is around 75 pg of template DNA, as it was the last quantity of DNA where clear differences of Cq were observed with the decrease of DNA quantity (Figure S2).

#### Primer pairs selectivity

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

Results of the selectivity test are shown in Table 1. The selectivity approach confirmed that VF239xVR353 is able to give a unique torA PCR product for a wide range of Vibrio species. Only two species out of the eleven tested gave more than one PCR product but this is not a concern for this study as they were never described in fishery products. Concerning Vibrio species, Cq values ranging from  $10.98 \pm 0.02$  for V. mimicus to  $13.98 \pm 0.01$  for V. fluvialis were recorded for 75 ng template DNA. For the rest of the tested species, recorded Cq values were higher than 30, except for E. coli and P. agglomerans. Concerning S. putrefaciens and S. baltica, no single PCR product pattern was observed. S. putrefaciens showed no band in the neighbourhood of 400 bp, whereas S. baltica despite three different patterns among the four strains always displayed a band of approximately 400 bp identified as part of the torA gene. For the remaining strains, only B. subtilis, S. enterica, C. divergens and C. gilleni displayed a band in the neighbourhood of 400 bp. Except for S. enterica, these PCR products displayed good identities with torA sequences of V. vulnificus and S. baltica, suggesting that these species might harbour closely-related torA genes. E. coli and P. agglomerans displayed wide bands at sizes different from 400 bp, with respective Cq values of 29.68  $\pm$  0.15 and 17.84  $\pm$  0.22. Finally, S. aureus, S. epidermidis and C. maltaromaticum showed no distinct band on the gel electrophoresis.

#### Application to fish shelf-life assessment

After optimisation steps with pure DNA samples, qPCR method was applied, with other freshness
estimation methods, in the course of a shelf-life study on MAP chilled whiting fillets. Throughout
the study, TMA and TVB-N measurements constantly increased with a slow phase from D01 to
D06 and a more consequent increase from D06 to D15 (Figure 1). In addition, it was noted that
these variables are highly correlated (r=0.99; p-value $<$ 0.001). Regarding TVB-N analysis, the
first fillet unsuitable for human consumption was analysed at D10. In the following days the
number of fish judged unfit for consumption, increased with two out of three on D13 and all the
fillets on D15. These results suggest that the limit of consumption of MAP chilled whiting fillets
should be in the neighbourhood of D10. TVB-N showed a slight increase throughout shelf-life
compared to fish conserved on melting ice. Conflicting opinions can be found on the use of TVB-
N assay for shelf-life monitoring of MAP fish. Some authors indicated that MAP had no effect on
TVB-N and TMA values, as for whiting and salmon at diverse MAP conditions including one
close to those studied in this work (60% $N_2\!/$ 40% $CO_2).$ $^{40}$ For others, MAP do have effect,
lowering the TVB-N and TMA values, but it was described on a different species of fat fish. 41
Currently, no QIM scheme has been developed for the evaluation of the studied matrix, so TVB-N
and TMA were, for this study, the most suitable methods for recording the deterioration of fillet
freshness. Nonetheless, sensory analyses will need to be developed for future studies, to better
estimate the limit of consumption. The TVC study led to inconclusive results (Table 4). Indeed,
the average evolution tended to increase between D01 and D06, when the maximum counts were
recorded, and decreased until D15, when the lowest counts of the shelf-life study were obtained.
The above-mentioned results are markedly different from those described in a previous work on
whiting conserved on melting ice. <sup>27</sup> The differences observed could be explained by the
development of non-cultivable bacteria with the ISO 7218 standard growth conditions, in MAP
chilled whiting. As a consequence, the ISO 7218 standard appears not to be suitable for the
quantification of microorganisms in MAP chilled whiting.
Regarding the qPCR approach, application of the VF239xVR353 pair to fish samples gave
encouraging results (Figure 2) with a clear decrease of Cq values from 31.2 at D01 to 20.2 at D10.

For D13 and D15 some lower Cq values were recorded, but these showed heterogeneity among the three fish fillets analysed. Additionally, an abnormally low value was recorded at D06 that remains unexplained as no atypical value was recorded in the TVB-N / TMA assays; this data was discarded for the following results. Based on average values, a good linearity of the signal was observed from D01 to D08 (R<sup>2</sup>=0.99). Moreover, an encouraging correlation was calculated (r = -0.86; p-value < 0.001) from D01 to D13 between the freshness grade indicator (TVB-N) and Cq values. This correlation even improved in the early phase of storage between D01 and D06 (r = -0.96; p-value < 0.001). Concerning TMA concentrations, coming from the metabolism of the torA gene-harbouring microorganisms, similar observations were made with respective correlation coefficients of -0.81 (p-value < 0.001) and -0.92 (p-value < 0.001). The heterogeneity of Cq values observed each day was not clearly explained in this experiment, although heterogeneous initial quality of the whiting could be hypothesised, as this study was carried out on wild fish. A tendency for signal stabilisation was observed from D10 which could mark the stationary phase of spoilage flora growth, explaining the increase of TMA while no significant evolution of Cq values was observed. The marked decrease of Cq value is consistent with the previous work; <sup>27</sup> it could also be used as an indirect indicator of freshness, although the type of conservation and the targeted flora were different. Application of this qPCR technique needs to be tested on larger sampling size to strengthen conclusions from this study and better characterize the variability among fish. In the meantime, other storage conditions and other fish species should be analysed to assess the portability of the method. PCR products were inspected on gel electrophoresis (Figure 3), which highlighted a band of strong intensity at the expected size, located in the neighbourhood of 400 bp for all days of shelflife assessment. It should be mentioned that at D01, an additional slight band was observed for fish 1. In some cases, sequencing gave double sequences with a clear principal sequence signal and

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

another low secondary signal. Systematic visual inspection of the chromatograms was performed

to avoid secondary signal problems. From D01 to D03, sequencing led to only 76% to 89% similarity with the *P. phosphoreum* DSM 2167 torA gene partial sequence. Sequencing results showed that PCR products obtained from spoiling whiting from D06 to D15 shared between 89% and 91% identity with the P. phosphoreum DSM 2167 torA gene partial sequence amplified by VF239xVR353. All the PCR products displayed nucleotide sequences very close to each other, with identity percentage ranging from 97% to 100%. The above-mentioned results led to the hypothesis that a unique P. phosphoreum population outgrew the microbial flora and led to an increase in quantities of torA gene between D06 and D15, confirming previous observations on the specific spoilage organisms in MAP fish. 21,42 Thus, double sequences recorded mostly in the early phase of shelf-life could be explained by more than a single microbial species harbouring the torA gene. Another work quantified P. phosphoreum, thanks to TaqMan qPCR, during the storage of farmed turbot (Scophthalmus maximus). 43 Contrary to the results presented in our work, P. phosphoreum was not detected in turbot. However a lot of parameters could explain this fact, as Roth et al. studied the fish skin, with fish of a different species, which dwell in different habitats and were stored in different conditions. Additionally, contrary to what is commonly admitted in **qPCR** spoilage studies, <sup>44</sup> luxA, unlike torA, is not a gene directly "related to the spoilage effect", as it encodes a luciferase. The qPCR method developed is easily applicable in routine food control, allowing confident analysis of almost 30 samples within a working day, confirmation on gel not included. That time can be decreased with the use of automation devices for DNA quantification or automated PCR preparation. This technique offers an objective analysis tool to assess freshness which is an advantage over sensory analysis. The qPCR approach allows to potentially analysing a higher number of samples than with reference chemical analyses. Finally, compared with usual microbial techniques used in food control, the results are obtained more rapidly. Nonetheless, further developments will be needed to improve the level of reliability of the

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

observed results. Concerning qPCR new chemistry as SYTO dyes or EvaGreen, better than

SYBR, 45, 46 could be tested in a way to assess their impact on efficiencies and reproducibility. New amplification protocols should be tested using, for example, touchdown qPCR which has previously been shown to improve specificity. 47 Moreover, as there is very little degeneration in the primers, substitution by regular primers should be tested to assess the impact of degenerate primers on specificity. In addition, a new primer pair should be designed for targeting tor A gene of Shewanella species in order to develop a multiplex approach quantifying all types of fish SSOs. The results presented in Figure 2 are absolute Cq values and a way to normalise data should be developed for future monitoring studies, so as to reduce variability generated by all manipulation steps. Special care should also be taken in the evaluation of any matrix effect by confirming good efficiencies and quantitative aspect of the DNA isolation procedure by testing on spiked paucimicrobial fillets. Any matrix effect could also be evaluated by implementation of controls, such as samples process control or negative sample process control to improve the reliability analyses of results. 48 In light of the above-mentioned Cq values, the number of amplification cycles could confidently be reduced to 30, thereby reducing the analysis time. As a consequence, the use of an internal amplification control (IAC) and its integration into the qPCR mix should be considered. Indeed, IAC has proven to be a good tool to go further in the interpretation of negative results and for distinguishing true negative results from false negative results caused by PCR inhibition. 49 Finally, it would be interesting to confirm the results with addition of ethidium monoazide (EMA) or propidium monoazide (PMA) in a way to solely detect live bacteria.

402 CONCLUSIONS

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

403

404

405

406

407

408

Care taken during the primer elaboration step and *in silico* control, together with the use of various software application, ensured that the design process was reliable. A single pair of primers with a low number of degenerate nucleotides was selected. This pair was used to amplify a 420 bp region of the *torA* gene for both *Vibrio* and *Photobacterium*. Applied here for monitoring the shelf-life of fish, the results suggest that this method would be a great benefit in the field of food control and fish freshness assessment. This work is the second using the qPCR approach targeting *torA* gene

- 409 to assess fish freshness, and conclusions are consistent. Concerning Cq values, a decrease was
- 410 recorded together with the increase in shelf-life and is correlated with both TVB-N and TMA
- evolution. A highly probable outgrowth of *P. phosphoreum*, a specific spoilage organism was
- observed from D06. New controls will be necessary to improve the reliability of the results
- obtained, before being routinely applied for food control.

#### 414 ACKNOWLEDGMENTS

- 415 The authors would like to thank Sabine Debuiche, Sylvie Degremont, Charlotte Himber and
- Virginie Raguenet for their kind technical assistance throughout shelf-life assessment, Bruno Le
- 417 Fur and Mathieu Volz from the PFI-Nouvelles Vagues innovation platform and Marie-Laure
- 418 Quilici (CNRVC) for providing the Vibrio parahaemolyticus strain. Alexandre Dehaut is grateful
- 419 to the Nord-Pas de Calais Regional Council (France) and ANSES for providing financial support
- 420 for his PhD studies.

#### 421 REFERENCES

- 1. The Commission of the European Communities, Council Regulation (EC) N° 2406/96
- 423 laying down common marketing standards for certain fishery products. Official Journal of the
- 424 European Union **L334** (1996).
- 425 2. The Commission of the European Communities, Commission Regulation (EC)
- 426 n°790/2005 of 25 May 2005 amending Council Regulation (EC) No 2406/96 laying down
- 427 common marketing standards for certain fishery products. Official Journal of the European Union
- 428 L132 (2005).
- 429 3. Luten JB, Introduction to and outcome of the Concerted Action 'Fish Quality Labelling
- and Monitoring', in Quality of Fish from Catch to Consumer Labelling, Monitoring and
- 431 Traceability, Ed by Luten JB, Oehlenschläger J and Olafsdottir G. Wageningen Academic
- Publisher, Wageningen, Nederland, pp 33-42 (2003).
- 433 4. Cardenas Bonilla A, Sveinsdottir K and Martinsdottir E, Development of Quality Index
- 434 Method (QIM) scheme for fresh cod (Gadus morhua) fillets and application in shelf life study.
- 435 Food Control 18:352-358 (2007).
- 436 5. Triqui R and Bouchriti N, Freshness Assessments of Moroccan Sardine (Sardina
- 437 *pilchardus*): Comparison of Overall Sensory Changes to Instrumentally Determined Volatiles. J
- 438 *Agric Food Chem* **51**:7540-7546 (2003).
- 439 6. Duflos G, Leduc F, N'Guessan A, Krzewinski F, Kol O and Malle P, Freshness
- 440 characterisation of whiting (Merlangius merlangus) using an SPME/GC/MS method and a
- statistical multivariate approach. *J Sci Food Agric* **90**:2568-2575 (2010).
- 442 7. Gram L and Huss HH, Microbiological spoilage of fish and fish products. *International*
- 443 *Journal of Food Microbiology* **33**:121-137 (1996).

- 444 8. Olafsdottir G, Jonsdottir R, Lauzon HL, Luten J and Kristbergsson K, Characterization of
- 445 Volatile Compounds in Chilled Cod (Gadus morhua) Fillets by Gas Chromatography and
- Detection of Quality Indicators by an Electronic Nose. J Agric Food Chem 53:10140-10147
- 447 (2005).
- 448 9. Visciano P, Schirone M, Tofalo R and Suzzi G, Biogenic Amines in Raw and Processed
- 449 Seafood. Frontiers in microbiology 3 (2012).
- 450 10. Hyldig G, Martinsdóttir E, Sveinsdóttir K, Schelvis R and Bremner A, Quality index
- 451 Methods, in Handbook of Seafood and Seafood Products Analysis, ed. by Nollet LML and Toldrá
- 452 F. CRC Press, pp 463-480 (2010).
- 453 11. Malle P and Tao S, Rapid quantitative determination of trimethylamine using steam
- 454 distillation. *J Food Prot* **50**:756-760 (1987).
- Leduc F, Tournayre P, Kondjoyan N, Mercier F, Malle P, Kol O, Berdagué JL and Duflos
- 456 G, Evolution of volatile odorous compounds during the storage of European seabass
- 457 (Dicentrarchus labrax). Food Chem **131**:1304-1311 (2012).
- 458 13. Koutsoumanis K, Giannakourou M, Taoukis P and Nychas G, Application of shelf life
- 459 decision system (SLDS) to marine cultured fish quality. International Journal of Food
- 460 *Microbiology* **73**:375-382 (2002).
- 461 14. Olafsdottir G, Nesvadba P, Di Natale C, Careche M, Oehlenschläger J, Tryggvadóttir SV,
- Schubring R, Kroeger M, Heia K, Esaiassen M, Macagnano A and Jørgensen BM, Multisensor for
- 463 fish quality determination. *Trends in Food Science & Technology* **15**:86-93 (2004).
- Huss HH, Quality and quality changes in fresh fish. FAO fisheries technical paper (1995).
- 16. The Commission of the European Communities, Council Regulation (EC) No 2074/2005
- of 5 December 2005 laying down implementing measures for certain products under Regulation
- 467 (EC) No 853/2004. Official Journal of the European Union **L338**:36 (2005).
- 468 17. Castro P, Padrón JCP, Cansino MJC, Velázquez ES and Larriva RMD, Total volatile base
- 469 nitrogen and its use to assess freshness in European sea bass stored in ice. Food Control 17:245-
- 470 248 (2006).
- 471 18. Gram L and Dalgaard P, Fish spoilage bacteria problems and solutions. Curr Opin
- 472 *Biotechnol* **13**:262-266 (2002).
- 473 19. Dalgaard P, Modelling of microbial activity and prediction of shelf life for packed fresh
- 474 fish. *International Journal of Food Microbiology* **26**:305-317 (1995).
- 475 20. Austin B, The bacterial microflora of fish. Scientific World Journal 2:558-572 (2002).
- 476 21. Chaillou S, Chaulot-Talmon A, Caekebeke H, Cardinal M, Christieans S, Denis C, Helene
- Desmonts M, Dousset X, Feurer C, Hamon E, Joffraud J-J, La Carbona S, Leroi F, Leroy S, Lorre
- 478 S. Mace S. Pilet M-F. Prevost H. Rivollier M. Roux D. Talon R. Zagorec M and Champomier-
- 479 Verges M-C, Origin and ecological selection of core and food-specific bacterial communities
- associated with meat and seafood spoilage. ISME J 9:1105-1118 (2015).
- 481 22. Dalgaard P, Mejlholm O and Huss HH, Conductance method for quantitative
- determination of *Photobacterium phosphoreum* in fish products. *Journal of Applied Microbiology*
- 483 **81**:57-64 (1996).
- 484 23. Czjzek M, Dos Santos J-P, Pommier J, Giordano G, Méjean V and Haser R, Crystal
- 485 structure of oxidized trimethylamine-oxide reductase from *Shewanella massilia* at 2.5 å resolution.
- 486 *J Mol Biol* **284**:435-447 (1998).
- 487 24. Méjean V, Iobbi-Nivol C, Lepelletier M, Giordano G, Chippaux M and Pascal M-C,
- 488 TMAO anaerobic respiration in Escherichia coli: involvement of the tor operon. Mol Microbiol
- 489 **11**:1169-1179 (1994).

- 490 25. Dos Santos J-P, Iobbi-Nivol C, Couillault C, Giordano G and Méjean V, Molecular
- analysis of the trimethylamine N-oxide (TMAO) reductase respiratory system from a Shewanella
- 492 species. *J Mol Biol* **284**:421-433 (1998).
- 493 26. Dunn AK and Stabb EV, Genetic analysis of trimethylamine N-oxide reductases in the
- 494 light organ symbiont Vibrio fischeri ES114. J Bacteriol 190:5814-5823 (2008).
- 495 27. Duflos G, Theraulaz L, Giordano G, Mejean V and Malle P, Quantitative PCR Method for
- 496 Evaluating Freshness of Whiting (Merlangius merlangus) and Plaice (Pleuronectes platessa). J
- 497 *Food Prot* **73**:1344-1347 (2010).
- 498 28. Giordano G, Dos Santos J-P and Mejean V, Nucleotide sequences derived from genes
- 499 coding for trimethylamine n-oxide reductase, uses thereof in particular for detecting bacteria.
- 500 Institut National de la Propriété Industrielle. France Patent (2001).
- 501 29. Dehaut A, Midelet-Bourdin G, Brisabois A and Duflos G, Phenotypic and genotypic
- 502 characterization of H<sub>2</sub>S-positive and H<sub>2</sub>S-negative strains of Shewanella baltica isolated from
- spoiled whiting (Merlangius merlangus). Lett Appl Microbiol **59**:542-548 (2014).
- 30. Robert-Pillot A, Copin S, Gay M, Malle P and Quilici ML, Total and pathogenic Vibrio
- 505 parahaemolyticus in shrimp: Fast and reliable quantification by real-time PCR. International
- 506 *Journal of Food Microbiology* **143**:190-197 (2010).
- 507 31. Charif D and Lobry JR, SeqinR 1.0-2: a contributed package to the R project for statistical
- 508 computing devoted to biological sequences retrieval and analysis, in Structural approaches to
- sequence evolution. Springer, pp 207-232 (2007).
- 510 32. Gish W, Non-redundant databases (NRDB) (http://pubmlst.org/analysis/, accessed May,
- 511 *2013*).
- 512 33. Tapi A, Chollet-Imbert M, Scherens B and Jacques P, New approach for the detection of
- 513 non-ribosomal peptide synthetase genes in Bacillus strains by polymerase chain reaction. Appl
- 514 *Microbiol Biotechnol* **85**:1521-1531 (2010).
- 515 34. Rodriguez-Lazaro D and Hernandez M, Real-time PCR in Food Science: Introduction, in
- 516 Real-time PCR in Food Science Current Technology and Application. Caister Academic Press, pp
- 517 3-19 (2013).
- 518 35. Jullien N, Amplifix 1.6.2 by Nicolas Jullien (http://crn2m.univ-mrs.fr/pub/amplifx-dist,
- 519 accessed May, 2013). (2013).
- 520 36. Anonymous, Oligoanalyzer 3.1 by Integrated DNA Technologies, Inc
- 521 (http://eu.idtdna.com/analyzer/Applications/OligoAnalyzer/, accessed September, 2013). (2008).
- 522 37. Perrière G, CAP3 Sequence Assembly Program. (http://doua.prabi.fr/software/cap3,
- 523 accessed April, 2014). (1996).
- 524 38. Huang X and Madan A, CAP3: A DNA sequence assembly program. Genome research
- **9**:868-877 (1999).
- 526 39. Leduc F, Krzewinski F, Le Fur B, N'Guessan A, Malle P, Kol O and Duflos G,
- 527 Differentiation of fresh and frozen/thawed fish, European sea bass (Dicentrarchus labrax),
- 528 gilthead seabream (Sparus aurata), cod (Gadus morhua) and salmon (Salmo salar), using volatile
- 529 compounds by SPME/GC/MS. *J Sci Food Agric* **92**:2560-2568 (2012).
- 530 40. Fagan J, Gormley TR and Uí Mhuircheartaigh M, Effect of modified atmosphere
- 531 packaging with freeze-chilling on some quality parameters of raw whiting, mackerel and salmon
- portions. *Innovative Food Science & Emerging Technologies* **5**:205-214 (2004).
- 533 41. Özogul F, Polat A and Özogul Y, The effects of modified atmosphere packaging and
- vacuum packaging on chemical, sensory and microbiological changes of sardines (Sardina
- 535 pilchardus). Food Chem **85**:49-57 (2004).

- 536 42. Dalgaard P, Qualitative and quantitative characterization of spoilage bacteria from packed
- fish. *International Journal of Food Microbiology* **26**:319-333 (1995).
- 538 43. Roth B, Kramer L, Skuland AV, Løvdal T, Øines S, Foss A and Imsland AK, The Shelf
- 539 Life of Farmed Turbot (Scophthalmus maximus). J Food Sci 79:1568-1574 (2014).
- 540 44. Martínez N, Martín MC, Herrero A, Fernández M, Alvarez MA and Ladero V, qPCR as a
- powerful tool for microbial food spoilage quantification: Significance for food quality. Trends in
- 542 Food Science & Technology **22**:367-376 (2011).
- 543 45. Monis PT, Giglio S and Saint CP, Comparison of SYTO9 and SYBR Green I for real-time
- 544 polymerase chain reaction and investigation of the effect of dye concentration on amplification
- and DNA melting curve analysis. *Anal Biochem* **340**:24-34 (2005).
- 546 46. Eischeid AC, SYTO dyes and EvaGreen outperform SYBR Green in real-time PCR. BMC
- 547 research notes **4**:263 (2011).
- 548 47. Wunderlichová L, Buňková L, Koutný M, Valenta T and Buňka F, Novel touchdown-PCR
- method for the detection of putrescine producing Gram-negative bacteria in food products. Food
- 550 *microbiology* **34**:268-276 (2013).
- 551 48. Rodríguez-Lázaro D, Lombard B, Smith H, Rzezutka A, D'Agostino M, Helmuth R,
- Schroeter A, Malorny B, Miko A and Guerra B, Trends in analytical methodology in food safety
- and quality: monitoring microorganisms and genetically modified organisms. Trends in Food
- 554 Science & Technology **18**:306-319 (2007).
- 555 49. Cook N, de Ridder GA, D'Agostino M and Taylor MB, Internal Amplification Controls in
- Real-time Polymerase Chain Reaction-based Methods for Pathogen Detection, in *Real-time PCR*
- 557 in Food Science Current Technology and Application. Caister Academic Press, pp 35-42 (2013).




Figure 1: Evolution of TVB-N and TMA concentrations, expressed in nitrogen g per kg of flesh, throughout the shelf-life of fish. Values represent the mean of duplicate measurements assessed on three fish samples and error bars illustrating 95% confidence intervals (2 standard errors).

127x127mm (600 x 600 DPI)




Figure 2: Evolution of Cq values obtained after qPCR amplification of fish fillet DNA extracts, with VR239 x VR353 primer pairs throughout the shelf-life study. Values represent the mean of quadruplicate measurements assessed for a DNA extract from each fillet, and error bars illustrating 95% confidence intervals (2 standard errors). The grey dashed line corresponds to the regression line obtained with the average values from D01 to D08, the atypical value at D06 being discarded.

127x127mm (600 x 600 DPI)




Figure 3: Gel electrophoresis performed with PCR products amplified from DNA extracts from fillets. M tagged tracks correspond to molecular size markers. A and B lanes respectively correspond to the non-target control and a positive control consisting of P.phosphoreum DNA extract. The daily PCR products are shown for the three fish fillets (F1, F2 and F3). The symbols "+", "-" and "\*" respectively correspond to band sizes of 1000 bp, 500 bp and 400 bp.

69x24mm (300 x 300 DPI)

Table 1: Bacterial strains used for this study. The use and the result of specificity test by qPCR with VF239 x VR 353 are given for all the strains (Cq, gel electrophoresis patterns and sequencing).

		1 0 0 1		9 (1			
Strains	Sources of isolation	Supplier <sup>a</sup>	Use b	Mean Cq <sup>c</sup>	Band at the expected size <sup>d</sup>	Aspecific bands	Sequencing results <sup>e</sup>
V. cholerae CIP 106974	Human	CRBIP	S	$10.98 \pm 0.02$	Yes	No	100 % identity with <i>V. cholerae</i> IEC224 torA gene
V. parahaemolyticus CNRVC 010089	Fishery products	CNRVC	S	$11.77\pm0.03$	Yes	No	99% identity with V. parahaemolyticus VP2007-007 torA ger
V. alginolyticus CIP 109819	Turbot (Scophtalmus maximus)	CRBIP	O, S	$11.11\pm0.00$	Yes	No	99% identity with V. alginolyticus 40B torA gene
V. vulnificus CIP 75.4	Blood sample	CRBIP	O, S	$11.26\pm0.12$	Yes	No	97% identity with V. vulnificus CMCP6 torA gene
V. mimicus CIP 101888	Human ear	CRBIP	S	$10.93\pm0.01$	Yes	No	99% identity with V. mimicus VM573 torA gene
V. fluvialis CIP 103355	Human feces	CRBIP	S	$13.98\pm0.01$	Yes	No	96 % identity with V. furnissii NCTC 11218 torA gene
V. metschnikovii CIP 69.14	Diseased fowl	CRBIP	S	$34.22\pm0.05$	Yes	Yes	No sequencing
V. harveyi CIP 103192	Dead luminescing amphipod	CRBIP	S	$11.94\pm0.01$	Yes	No	99% identity with V. harveyi ATCC BAA-1116 torA gene
V. hollisae CIP 104354	Human feces	CRBIP	S	$29.55 \pm 0.06$	Yes	Yes	No sequencing
V. furnisii CIP 102972	Human feces	CRBIP	S	$12.92 \pm 0.01$	Yes	No	98 % identity with V. furnissii NCTC 11218 torA gene
V. nigripulchritido CIP 103195	Seawater enriched with chitin	CRBIP	S	$11.44 \pm 0.01$	Yes	No	88 % identity with V. cholerae IEC224 torA gene
P. damselae CIP 100540	Turbot (Scophtalmus maximus)	CRBIP	O, S	$13.26 \pm 0.11$	Yes	No	98 % identity with P. damselae CIP 102761 torA gene
P.phosphoreum DSM 2167	Hake (Merluccius capensis)	DSMZ	O, S	$12.20 \pm 0.07$	Yes	No	99 % identity with P. phosphoreum ANT 220 torA gene
S. putrefaciens DSM 6067	Tainted butter	DSMZ	O, S	$36.52 \pm 0.11$	No	Yes	No sequencing
S. baltica 14LSABSM1SHW	Whiting (Merlangius merlangus)	Anses	S	$30.89 \pm 0.01$	Yes	Yes	90 % identity with S. baltica BA 175 torA gene
S. baltica 14LSABSM2SHW	Whiting (Merlangius merlangus)	Anses	S	$33.50\pm0.24$	Yes*	Yes	80 % identity with S. baltica OS 185 torA gene
S. baltica 14LSABSM3SHW	Whiting (Merlangius merlangus)	Anses	S	$32.15\pm0.02$	Yes*	Yes	No identification
S. baltica 14LSABSM4SHW	Whiting (Merlangius merlangus)	Anses	S	$32.07 \pm 0.21$	Yes*	Yes	73% identity with V. vulnificus MO6-24 torA gene
B. subtilis ATCC 6633	Not communicated	ATCC	S	$34.18 \pm 0.53$	Yes	No	75% identity with V. vulnificus CMCP6 torA gene
S. aureus ATCC 25923	Clinical isolate	ATCC	S	$37.54 \pm 0.73$	No	No	No sequencing
S. epidermidis ATCC 12228	Not communicated	ATCC	S	$36.65 \pm 0.93$	No	No	No sequencing
E. coli ATCC 25922	Clinical isolate	ATCC	S	$29.68 \pm 0.15$	No	Yes	No sequencing
S. enterica ATCC 13076	Not communicated	ATCC	S	$34.91 \pm 1.00$	Yes	Yes	98 % identity with S.enterica CT18 hypothetical protein
C. maltaromaticum	Fish industry environments	Anses	S	$37.83 \pm 0.36$	No	No	No sequencing
C. divergens	Fish industry environments	Anses	S	$34.92 \pm 0.25$	Yes	No	96 % identity with V. vulnificus CMCP6 torA gene
C. gilleni	Fish industry environments	Anses	S	$31.16\pm0.20$	Yes	Yes	93 % identity with S. baltica BA175 torA gene
S. proteomaculans	Fish industry environments	Anses	S	$32.82 \pm 0.01$	No	Yes	No sequencing
P. agglomerans	Fish industry environments	Anses	S	$17.84\pm0.22$	No	Yes	No sequencing
P. fluorescens	Fish industry environments	Anses	S	$34.01 \pm 0.09$	No	Yes	No sequencing

<sup>&</sup>lt;sup>a</sup> Suppliers: CRBIP, Centre de Ressources Biologiques de l'Institut Pasteur (Paris, France); CNRVC, French National Reference Centre for Vibrios and Cholera (Paris, France), DSMZ German Collection of Microorganisms and Cell cultures (Leibniz, Germany); Anses, Laboratory's own collection; ATCC, American Type Culture Collection (Manassas, VA, United States). <sup>b</sup> Use of the strain: S for specificity study and O for PCR optimisation. <sup>c</sup> Mean of Cq values recorded for duplicate measures, for 75 ng of template DNA. <sup>d</sup> Existence of a band close by the expected size of 420 bp, values tagged with an asterisk highlight a weak signal of the band. <sup>e</sup> Percentage of identification achieved thanks to BLAST; "no sequencing" is either marked for strains displaying no band at the expected size, or for band not sequenced because of the presence of another band close by; "no identification" refers to a highly weak band that did not allow to recover enough material after extraction.

Table 2: Nucleotide sequences of primers obtained from the first steps of design and sizes of the theoretical PCR products for each pair. Reasons and steps of rejection are communicated when appropriate for each pair.

ID <sup>a</sup>	Forward primers Sequences (5'-3') <sup>b,d,e</sup>	HyC <sup>c</sup>	ID	Reverse primers Sequences (5'-3') <sup>b,d,e</sup>	НуС	PCR products sizes	Rejection step	Reason
PF23	HCGTAAYGTNGATGAAGGTC *	24	PR167	TCTTGRTGGTGRTGCCAWGG *	8	201 bp	In vitro	In silico self-dimer risk confirmed
ГГ23	HCGIAAIGINGAIGAAGGIC "	24	PR168	ATCTTGRTGGTGRTGCCAWG	8	202 bp	In vitro	Aspecific PCR products
SF140 ARGGYAARATCCGCGTGATC *		8	SR36	KGAGTAGTGGTGACCATAGC	2	449 bp	In vitro	Aspecific PCR products
SF140	ARGGIAARAICCGCGIGAIC	8	SR37	TKGAGTAGTGGTGACCATAG	2	450 bp	In silico	Self-dimer risk for the forward primer
CEOO	VCA CHA CHCMA CMCCHCCA C	8	SR156	CCACAGGRTCKATRCTGATC	8	251 bp	In silico	Self-dimer risk for the forward primer
SF90	YGACTACTCMACMGGTGCAG	8	SR154	ACAGGRTCKATRCTGATCAC	8	419 bp	In silico	Self-dimer risk for the forward primer
SF224	YGGYATYAGCTATGGTCACC	8	CD 200	YGCCRTASACGTCGATATCG	0	414 bp	In silico	Self-dimer risk for the reverse primer
SF34	TYAGCTATGGTCACCACTAC *	2	SR288	IGCCRIASACGICGAIAICG	8	249 bp	In vitro	Cross dimer risk, self-dimer risk confirmed
			VR353	CTCTTGACGYTGGATACACC *	2	424 bp	-	Single PCR product
VF239	GCAAGTRGGTTGGAACTGTG	2	VR349	TGACGYTGGATACACCAACC	2	420 bp	In silico	Low number of sequences potentially amplified
			VR350	TTGACGYTGGATACACCAAC	2	421 bp	In silico	Low number of sequences potentially amplified
			VR419	TCTTGATGGTGGTGCCAWGG	2	369 bp	In silico	Self-dimer risk for the reverse primer
VF351	TTGGTGTATCCARCGTCAAG *	2	VR572	RTCTTGATGGTGGTGCCAWG *	4	370 bp	In vitro	Self-dimer risk for the reverse primer
			VR536	GAATMGTRCGGCTGTAACCG	4	239 bp	In silico	Self-dimer risk for the reverse primer
VF203	CTGTRGGTATGCAYGGTAAC	4	VR240	TCACAGTTCCAACCYACTTG	2	202 bp	In silico	Low number of sequences potentially amplified

<sup>&</sup>lt;sup>a</sup> Primers identifiers. <sup>b</sup> Nucleotides sequences with degenerations indicated according to IUPAC nomenclature. <sup>c</sup> HyC values calculated according to the above mentioned reference (Tapi, *et al.*, 2010). <sup>d</sup> Primers tagged with an asterisk possibly involved in interspecies cross-dimer formation if a multiplex approach have been developed. <sup>e</sup> The six most promising pair are shown in bold.

Table 3: Data of standard curves obtained from the four *Vibrio* and *Photobacterium* species. Two temperature values and two primer concentration were tested.

		0,5	μМ	1 μM		
		62°C	64°C	62°C	64°C	
	Slope a	-3.6794	-3.8335	-3.5118	-3.5387	
D 11	Intercept a	39.1	41.4	37.3	38.4	
P.phosphoreum	R <sup>2 a</sup>	0.999	0.998	0.998	0.998	
	Efficiency b	87.0 %	82.3 %	92.6 %	91.7 %	
	Slope a	-3.6152	-3.8125	-3.5422	-3.6314	
D 1 1	Intercept <sup>a</sup>	38.6	40.0	37.8	38.8	
P.damselae	R <sup>2 a</sup>	0.996	0.996	0.998	0.999	
	Efficiency b	89.1 %	82.9 %	91.6 %	88.5 %	
	Slope a	-3.8015	-4.0299	-3.5123	-3.7739	
	Intercept <sup>a</sup>	39.2	41.2	37.1	38.5	
V.vulnificus	R <sup>2 a</sup>	0.999	0.994	0.993	0.999	
	Efficiency b	83.3 %	77.1 %	92.6 %	84.1 %	
	Slope a	-3.7382	-3.9787	-3.5026	-3.8101	
V 1 1	Intercept a	38.1	40.1	36.7	38.5	
V.alginolyticus	R <sup>2 a</sup>	0.999	0.995	0.996	0.999	
	Efficiency b	85.1 %	78.4 %	93.0 %	83.0 %	

<sup>&</sup>lt;sup>a</sup> Values were obtained from four replicates on 7 log DNA dilutions ranging from 75 ng to 75 fg of template DNA in the tube. <sup>b</sup> Efficiency was calculated with the formula given by European Network of GMO testing (European Network of GMO Laboratories, 2008).

Table 4: Evolution of total viable count (CFU  $\log$  / g) of modified-atmosphere packed whiting fillets, throughout the shelf-life on cold storage.

	Fish 1	Fish 2	Fish 3
Day 1	$4.81 \pm 0.09$	$4.87 \pm 0.08$	$5.16 \pm 0.07$
Day 3	$5.08 \pm 0.07$	$5.10 \pm 0.08$	$5.24 \pm 0.06$
Day 6	$5.46 \pm 0.05$	$5.41 \pm 0.05$	$6.13 \pm 0.07$
Day 8	$5.10 \pm 0.05$	$4.81 \pm 0.07$	$5.16 \pm 0.04$
Day 10	$5.10 \pm 0.05$	$5.43 \pm 0.03$	$5.42 \pm 0.04$
Day 13	$4.90 \pm 0.06$	$4.56 \pm 0.08$	$4.98 \pm 0.06$
Day 15	$4.64 \pm 0.08$	$4.56 \pm 0.08$	$4.78 \pm 0.07$

Values figured above were calculated according to ISO standard 7218:2007 (International Organization for Standardization, 2007). Each mean value is followed by a value illustrating the 95% confidence interval.



## Monitoring the freshness of fish: development of a qPCR method applied to MAP chilled whiting

Alexandre Dehaut <sup>a</sup>, Frédéric Krzewinski <sup>b</sup>, Thierry Grard <sup>c</sup>, Marlène Chollet <sup>d</sup>, Philippe Jacques <sup>d</sup>, Anne Brisabois <sup>a</sup> & Guillaume Duflos <sup>a,\*</sup>

- <sup>a</sup> ANSES, Laboratoire de Sécurité des Aliments Département des Produits de la Pêche et de l'Aquaculture, Boulevard du Bassin Napoléon, 62200 Boulogne-sur-Mer, France
- <sup>b</sup> Université de Lille 1, Unité de Glycobiologie Structurale et Fonctionnelle UGSF Bâtiment C9, 59650 Villeneuve d'Ascq, France
- <sup>c</sup> Université du Littoral Côte d'Opale ANSES, Équipe Biochimie des Produits Aquatiques, Boulevard du Bassin Napoléon, 62200 Boulogne-sur-mer, France
- d Laboratoire Régional de Recherche en Agroalimentaire et Biotechnologie Institut Charles Viollette, Equipe ProBioGEM, Université de Lille1, Sciences et Technologies, Polytech'Lille, Avenue Paul Langevin, 59655 Villeneuve d'Ascq, France

## Supporting information file

Figure S1: Workflow of degenerate oligonucleotide design and selection	2
Algorithm S1: Sequence retrieval Algorithm	3
Table S1: Accessions corresponding to retrieved sequences	4
Algorithm S2: Primer Screening Algorithm	5
SUP	
Figure S2: Efficiency curves	9
Figure S3: Melting curves	. 10

<sup>\*</sup>Corresponding author: E-mail: guillaume.duflos[at]anses.fr - Phone: +33 321 992 500 - Fax: +33 321 991 725

Figure S1: Workflow of degenerate oligonucleotide design and selection

Databank (EMBL, Genbank) screening. Control of retrieved sequences (40 Vibrio, 9 Shewanella and 9 Raw Potobacterium). data Alignment with Muscle algorithm. Sequences alignments Use of software developed at ProBioGEM. Recovery of forward and reverse primers lists (1667 for Vibrio, 546 for **Primers** Shewanella and 395 for Photobacterium). lists Screening of previous primers lists following usual prerequisities Suppression of 88.2% to 95.7% of the previous primers. **Primers** screening PCR in silico with AmplifX 1.6.2 Treatment of **14000 potential PCR products** with an *ad-hoc* database. **Primers Selection of 22 primers** (8 forward and 14 reverse) selection Use of on-line software to check hairpin, self-dimer and cross-dimer. **Selection of 6 primers pairs** to further *in vitro* tests. **Dimers** risk 3 primers pairs discarded for dimer formation, 2 primers pairs discarded because of a lack of specificity In vitro Selection a single primers pair usable for Vibrio & Photobacterium. tests

#### **Algorithm S1: Sequence retrieval Algorithm**

```
########################### A.DEHAUT 2015 ##############################
#Instruction to avoid proxy problems
setInternet2()
#Working directory
setwd('X:/Software/R/RecupseQ 2.0')
#Definitions of research parameters
gene<-c("torA")</pre>
genus<-c("vibrio", "photobacterium", "shewanella")</pre>
                                             Jehani et al. 201
bank<-c("genbank", "embl", "emblwgs")</pre>
type_sequence<-c("cds")</pre>
EC number <- c ("1.6.6.9")
#Working packages loading#
library(seqinr)
#Vector length calculation for loops
s bank<-length(bank)</pre>
s gene<-length(gene)
s genus < -length (genus)
s_type_sequence<-length(type_sequence)
for (compt bank in 1 : s bank)
bank[compt bank]
#Data bank assignation
choosebank(bank[compt bank])
for (compt_genus in 1:s_genus)
for (compt gene in 1:s gene)
#Request writting
kry<-paste("sp=",genus[compt genus]," AND ","k=",gene[compt gene]," AND
","t=",type sequence,sep = "")
#Creation of research tag
output<-paste(bank[compt bank],' ',genus[compt genus],sep =</pre>
#Request creation (Research tag + Request)
query<-query(output, kry)
#Accession and DNA sequence recovery
names<-getName(query)</pre>
sequences <- get Sequence (query)
nb_access<-query$nelem
#Generation of an output file
fileout<-paste(output, " ",gene[compt gene],".fasta",sep="")</pre>
# File writing in function of accession number
for (compt access in 1:nb access)
#File with the file recovered
write.fasta(sequences[compt access],names[compt access],nbchar=80,file.out=fileout,
open = "a")
#File with all files
write.fasta(sequences[compt access], names[compt access], nbchar=80, file.out="whole.f
asta",open = "a")
} } }
```

### Table S1: Accessions corresponding to retrieved sequences

Genera	Accessions
Shewanella :	AP011177 (36807243683216); AJ006085 (37026191); AE014299 (12822661284755); CP000851 (40846654087157); CP000931 (41593304161828); CP000961 (43030774305569); CP000821 (40877254090217); CP000606 (33125223315008); AJ005974;
Photobacterium :	ADBS01000001 (16391151641538); CR378667 (269442271910); AAOJ01000002 (448268450736); ADBS01000001 (15811951583675); AAOU01000006(6879771265); DF093596 (708647711127); CR378670 (285194287671); ADBS01000001 (14290591431590); HQ599848 (893011461)
Vibrio :	AAUR01000023 (2612028582); AAUU01000010 (3337335835); AAWF01000013 (3379536257); AAWP01000118 (15884050); AAWQ01000016 (15183980); ACYU01000186 (2920231664); ACYV01000012 (2354526007); ACZB01000065 (1878921251); ACZC01000014 (137538140000); AFOQ01000009 (10558341058305); AFOR01000015 (232246234708); AFOT01000135 (1379816260); AFOU01000213 (54557917); AJRP01000052 (8243284894); AJSQ01000143 (58908352); AJSS01000095 (136403138865); ALDB01000139 (1450816970); ALEC01000007 (10077551010217); ALED01000026 (10109171013379); ACFQ01000010 (768360770822); ACHV01000001 (403446405908); ACHW01000019 (6713869600); ACHY01000017 (241868244330); ACZN01000018 (875029877491); ACZP01000013 (351551354013); ACZT01000023 (256441258903); ACZV01000005 (486522488984); ADAF01000001 (11096121112074); ADAJ01000008 (10739981076460); ADAL01000239 (2998232444); ADBD01000013 (185366187828); AE016795 (29623292964791); ACFM01000025 (1035912821); CP001805 (24564022458864); NC_004459 (29623292964791); NC_015633 (19647771967239); DST79715 (2982932291); CP001805 (19754171977879)

#### **Algorithm S2: Primer Screening Algorithm**

```
#Working directory assignation#
setwd('X:/Software/R/PrimeRAnalysis')
#Package loading#
library(seqinr)
# *.fasta files recovery for the batch treatment#
name<-list.files(pattern = "\\.fasta$")</pre>
#Estimation of the number of file to be treated
l name<-length(name)</pre>
#'for'loop to apply the algorithm at each file
for (compteur_name in 1 : 1_name)
#File name recovery (standardized name) #
fichier<-name[compteur name]</pre>
#Sliced file to isolate nucleotide (nb pb) and file name
                                                             (name file)#
name split<-unlist(strsplit(fichier,"-"))</pre>
#nb pb & name file recovery#
name file<-unlist(strsplit(name split[2],"\\."))[1]
nb pb<-as.numeric(name split[1])</pre>
#Species name recovery#
spc split<-unlist(strsplit(name file,"</pre>
spc<-spc split[2]</pre>
#Forward or reverse?#
sens<-spc_split[3]</pre>
#Sequences of the file recovered and expressed as a vector#
sequ<-read.fasta(fichier)</pre>
#All sequences of the file recovered and expressed as a character string#
seq string<-read.fasta(fichier, as.string=TRUE)</pre>
#Recovery of the number of sequences
l sequ<-length(sequ)</pre>
#Matrix initialisation#
tag<-matrix(,l_sequ,1)</pre>
sequence<-matrix(,l sequ,1)</pre>
place<-matrix(,l sequ,1)</pre>
hyc<-matrix(,l sequ,1)
gc content<-matrix(,l sequ,1)</pre>
gc end<-matrix(,l sequ,1)</pre>
nb deg<-matrix(,l sequ,1)</pre>
nb_gc<-matrix(,l sequ,1)</pre>
nb at<-matrix(,l sequ,1)</pre>
head tail inter<-matrix(, 1 sequ, 1)
gc content tail<-matrix(,l sequ,1)</pre>
gc deg tail<-matrix(,l sequ,1)</pre>
repet seek<-matrix(,l sequ,1)</pre>
#'For' loop to treat all the primers contained in the file#
```

```
for (compteur in 1 : 1 sequ)
#Tag inclusion
tag[compteur,]<-paste("Primer ",spc," "," ",sens," ",compteur,sep="")
#[1]Processed sequence recovery as a character string#
sequence[compteur,]<-seq string[[compteur]][1]</pre>
#Processed sequence recovery as a vector#
seq<-sequ[[compteur]][1:nb pb]</pre>
#[2] Recovery of primer position on the alignement#
info place<-attr(sequ[[compteur]], "Annot")</pre>
place[compteur,]<-unlist(strsplit(info place,":"))[2]</pre>
#[3] Hyc number recovery#
info hyc<-attr(sequ[[compteur]], "name")</pre>
hyc[compteur,]<-unlist(strsplit(unlist(strsplit(info hyc,"/"))[1],"="))[2]
#[4] Determination of G/C number (degenerate nucleotides excluded)#
GC<-seq[seq=="g"|seq=="c"]
gc<-length(GC)
nb gc[compteur,]<-gc</pre>
#[5] Determination of A/T number (degenerate nucleotides excluded)#
AT<-seq[seq=="a"|seq=="t"]
at<-length(AT)
nb at[compteur,]<-at</pre>
#[6] Determination of the number of degenerate nucleotides#
deg<-nb pb-(at+gc)</pre>
nb deg[compteur,]<-deg</pre>
#[7] Determination of G/C% content estimation (degenerate nucleotides
excluded) #
pourc gc < -round(100*(gc/(gc+at)), 1)
gc_content[compteur,]<-pourc_gc</pre>
#[8]'if' loop to estimate if the primer sequence is ended by a 'G' or a
'C')#
if (tail(seq, 1) == "g" | tail(seq, 1) == "c")
gc end[compteur,]<-c("Yes")</pre>
}
else
gc end[compteur,]<-c("No")</pre>
#[9] 'if' loop for estimation of the risk of self-dimerization 5'/3' G/C or
if ((tail(seq, 1)=="g"\&\&head(seq, 1)=="c")|(tail(seq, 1)=="c"\&\&head(seq, 1)=="c")|
1) =="q"))
head tail inter[compteur,]<-c("Yes")</pre>
}
else
head tail inter[compteur,] <-c("No")
#G/C number recovery among the 5 last nucleotides in 3'#
nb_gc_content_tail < -length(tail(seq, 5)[tail(seq, 5) == "g"|tail(seq, 5) == "c"])
```

```
\#[10]'if' loop screening if there is no more than 3 G or C among the 5 last
nucleotides in 3'#
if (nb_gc_content_tail<4)</pre>
gc_content_tail[compteur,]<-c("No")</pre>
else
gc content tail[compteur,]<-c("Yes")</pre>
# Determination of the nucleotide number in the last 5 nucleotides in 3'
(A, T, C, G & W excluded) #
control deg GC<-
tail(seq,5)[tail(seq,5)!="a"&tail(seq,5)!="t"&tail(seq,5)!="c"&tail(seq,5)!
="q"&tail(seq,5)!="w"]
#[11] 'if' loop determining if there is no "hidden" G or C (degenerate
nucleotides) among the 5 last nucleotides in 3'#
if (length(control deg GC)!=0)
gc_deg_tail[compteur,]<-c("Yes")</pre>
else
gc_deg_tail[compteur,]<-c("No")</pre>
#Matrix initialisation to check nucleotide repetition
mat repet<-matrix(,1,nb pb)</pre>
mat repet[,1] < -0
mat repet[,nb pb]<-0</pre>
# 'for' loop to screen nucleotides repeat (n-1 et n+1 comparison regarding
for (i in 2 : (nb_pb-1))
#n comparison to n-1 and n+1#
n moins < -seq[i] = -seq[i-1]
n plus<-seq[i]==seq[i+1]</pre>
#[12]'if' loop warning the presence of 3 identical nucelotides repetitions
materialized with the value '1'#
if (n moins=="TRUE"&n plus=="TRUE")
{
mat repet[,i]<-1</pre>
}
else
mat repet[,i]<-0</pre>
}
}
#Repetition index creation #
index_repet<-as.numeric(rowSums(mat_repet))</pre>
# 'if' loop allowing the control of repetitions existence into the primer#
if (index repet==0)
repet seek[compteur,]<-c("No")</pre>
}
else
{
```

```
repet_seek[compteur,]<-c("Yes")</pre>
}
#creating a matrix containing all the following parameters
[1] [2] [6] [3] [4] [5] [7] [8] [9] [10] [11] [12] #
array tot<-
cbind(tag, sequence, place, nb deg, hyc, nb gc, nb at, gc content, gc end, head tail
_inter,gc_content_tail,gc_deg_tail,repet_seek)
#Recovering the number of column of the above matrix#
l array<-ncol(array tot)</pre>
#Placing restrictions on various parameters [7][8][5][10][11][12]#
array tot<-
subset(array tot,gc end=='Yes'&head tail inter=='No'&gc content>40&gc conte
nt<60&gc content tail=='No'&gc deg tail=='No'&repet seek=='No')</pre>
#Creation of an export matrix for post processing in Amplifx software
array_amplifx<-cbind(array_tot[,2],array_tot[,1])</pre>
#Recovery of the row number in the array#
n_row<-nrow(array_tot)</pre>
#Percentage of discarded primers#
percent<-round((1-(n_row/l_sequ))*100,1)</pre>
#Construction of a concluding sentence concerning the primer file
treatment#
ecart<-matrix(,1,1 array)</pre>
ecart[,1]<-paste(percent,"% des primers ont été écartés grâce à
l'algorithme")
ecart<-rbind(ecart, matrix(,1,1 array))</pre>
#Title creation#
head<-c('ID', 'Sequence', 'Situation in the alignment', 'Number of
degeneration', 'Hyc Number', 'Number of G/C', 'Number of A/T', 'Estimated %
GC', 'End by G or C', 'Head and Tail Annealing Risk ?', 'No more than 3 GC in
the tail?','No hidden GC (degeneration)in the tail?','No more than 2
identical nucleotides near by?')
#Title and matrice regroupment#
array tot<-rbind(ecart,head,array tot)</pre>
# *.csv file generation with the above selected informations#
array tot<-as.data.frame(array tot)</pre>
export<-
write.table(array tot, file=paste(name file, ".csv", sep=""), dec=", ", sep=";", r
ow.names = FALSE, col.names = FALSE, na = "")
#File generation for the automatic treatment with amplifx software#
export<-
write.table(array_amplifx,file=paste(name_file," amplifx.txt",sep=""),sep="
\t",row.names = FALSE,col.names = FALSE)
```

#### Figure S2: Efficiency curves

Legend: 62 °C – 1 μM 64 °C – 1 μM 62 °C – 0.5 μM 64 °C – 0.5 μM





Figure S3: Melting curves



Melting curves obtained for *Photobacterium* and *Vibrio*, with annealing at 62  $^{\circ}$ C, primers concentration of 1  $\mu$ M and 7.5 ng of DNA.