

Harnessing the power of comparative genomics to support the distinction of sister species within Phyllosticta and development of highly specific detection of Phyllosticta citricarpa causing citrus black spot by real-time PCR

Renaud Ioos, Alexandra Puertolas, Camille Renault, Aida Ndiaye, Isabelle Cerf-Wendling, Jacqueline Hubert, Wen Wang, Chen Jiao, Hongye Li, Josep Armengol, et al.

► To cite this version:

Renaud Ioos, Alexandra Puertolas, Camille Renault, Aida Ndiaye, Isabelle Cerf-Wendling, et al.. Harnessing the power of comparative genomics to support the distinction of sister species within Phyllosticta and development of highly specific detection of Phyllosticta citricarpa causing citrus black spot by real-time PCR. PeerJ, 2023, 11, pp.e16354. 10.7717/peerj.16354. anses-04399883

HAL Id: anses-04399883 https://anses.hal.science/anses-04399883v1

Submitted on 17 Jan2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Peer

Harnessing the power of comparative genomics to support the distinction of sister species within *Phyllosticta* and development of highly specific detection of *Phyllosticta citricarpa* causing citrus black spot by real-time PCR

Renaud Ioos¹, Alexandra Puertolas^{1,2}, Camille Renault^{1,2}, Aida Ndiaye¹, Isabelle Cerf-Wendling¹, Jacqueline Hubert¹, Wen Wang³, Chen Jiao³, Hongye Li³, Josep Armengol⁴ and Jaime Aguayo¹

¹ Laboratoire de la Santé des Végétaux, Unité de Mycologie, USC INRAE, ANSES, Malzéville, France

² ANSES, European Union Reference Laboratory on Plant Pathogenic Fungi and Oomycetes, Malzéville, France

³ The Key Laboratory of Biology of Crop Pathogens and Insects of Zhejiang Province, Institute of Biotechnology, Zhejiang University, Zhejiang, Hangzhou, China

⁴ Instituto Agroforestal Mediterráneo, Universitat Politècnica de València, Valencia, Spain

ABSTRACT

Citrus crops are affected by many fungal diseases. Among them, Citrus Black Spot caused by the ascomycete Phyllosticta citricarpa is particularly economically damaging wherever it occurs. Many other species of Phyllosticta are described on Citrus, but only P. citricarpa is considered a quarantine pest on the European continent. In order to prevent the introduction of this species into Europe, it is essential to have a detection test which can reliably identify it, and not confuse it with other species present on citrus, notably P. paracitricarpa. The latter taxon has recently been described as very close to P. citricarpa, and most detection tests do not allow to distinguish the two species. In this work, we exploited the genomic data of 37 isolates of *Phyllosticta* spp. from citrus, firstly to assess their phylogenetic relationships, and secondly to search for genomic regions that allowed the definition of species-specific markers of P. citricarpa. Analysis of 51 concatenated genes separated P. citricarpa and P. paracitricarpa in two phylogenetic clades. A locus was selected to define a hydrolysis probe and primers combination that could be used in real-time PCR for the specific detection of the quarantine species, to the exclusion of all others present on Citrus. This test was then thoroughly validated on a set of strains covering a wide geographical diversity, and on numerous biological samples to demonstrate its reliability for regulatory control. The validation data highlighted the need to check the reliability of the test in advance, when a change of reagents was being considered.

Subjects Agricultural Science, Genomics, Molecular Biology, Mycology, Taxonomy **Keywords** Detection, Plant disease, Quarantine, Validation, Comparative genomics, Fungus

Submitted 4 May 2023 Accepted 4 October 2023 Published 23 October 2023

Corresponding author Renaud Ioos, renaud.ioos@anses.fr

Academic editor Simon Shamoun

Additional Information and Declarations can be found on page 21

DOI 10.7717/peerj.16354

Copyright 2023 Ioos et al.

Distributed under Creative Commons CC-BY 4.0

OPEN ACCESS

How to cite this article Ioos R, Puertolas A, Renault C, Ndiaye A, Cerf-Wendling I, Hubert J, Wang W, Jiao C, Li H, Armengol J, Aguayo J. 2023. Harnessing the power of comparative genomics to support the distinction of sister species within *Phyllosticta* and development of highly specific detection of *Phyllosticta citricarpa* causing citrus black spot by real-time PCR. **PeerJ 11:e16354 DOI 10.7717/peerj.16354**

INTRODUCTION

The genus *Phyllosticta* comprises dozens of species with different ecological behaviors; some are endophytes, others are plant pathogens and a few are even saprobes (*Wikee et al.*, 2013). Pathogenic species of *Phyllosticta* affect a broad range of hosts, and are responsible for numerous diseases, including leaf and fruit spots. On citrus, three species-namely P. capitalensis, P. citribraziliensis, and P. paracapitalensis—are described as endophytes (Glienke et al., 2011; Guarnaccia et al., 2019), whereas five species are described as pathogens. P. citricarpa causes citrus black spot (CBS) (Kiely, 1948; Van der Aa, 1973), P. citriasiana and P. citrimaxima both cause citrus tan spot of Citrus maxima (Wikee et al., 2013; Wulandari et al., 2009), and P. citrichinaensis causes spots and freckle on several Citrus species (Wang et al., 2012). Recently, Guarnaccia et al. (2017) described a new species, *Phyllosticta paracitricarpa*, which is genetically closely related to *P. citricarpa*. P. paracitricarpa was isolated from Citrus limon leaf litter in Greek lemon orchards (Guarnaccia et al., 2017) as well as from lemon fruits in China (Wang et al., 2023) and has been shown to be pathogenic to C. sinensis and C. limon after artificial inoculations on detached leaves and fruits (Guarnaccia et al., 2017; Wang et al., 2023). It was also retrospectively demonstrated that some Chinese isolates causing black spots on mandarin fruits, tentatively named "P. citricarpa subclade II" (Wang et al., 2012) could be re-assigned to P. paracitricarpa according to a multilocus phylogenetic analysis using six markers (Guarnaccia et al., 2019). The description of this new sister species was based on a few fixed nucleotide polymorphisms within one gene from the core genome (translation elongation factor 1-alpha gene, tef1) and within a region of the rDNA operon (Large Subunit, LSU), combined with some morphological differences with P. citricarpa. In general, the morphological features of P. paracitricarpa in pure culture are very similar to P. citricarpa and it is virtually impossible to differentiate the two species based solely on microscopic traits (EPPO, 2020).

CBS is an important disease outside Europe that causes significant economic losses in orchards. This disease is named after the characteristic symptoms of citrus fruits, *i.e.*, black spots on the citrus peel, although the symptomatology of this disease can be very variable, ranging from hard spots, virulent spots or false melanose spots to freckle spots. This variability in symptoms is the result of the temperature and maturity of the affected fruits (EPPO, 2020). Phyllosticta citricarpa has a wide host range and is able to infect mostly all Citrus spp. (except C. aurantium and hybrids, and C. latifolia), Fortunella spp. and Poncirus spp. Although present in many citrus growing regions, some regions are still considered as disease-free (EPPO, 2022). In these regions (or countries) P. citricarpa is generally listed as a quarantine organism (EPPO, 2022; European Union Commission, 2019). According to the European Food Safety Agency (EFSA, 2014), the main pathway for dispersal and introduction of *P. citricarpa* is through the trade of citrus fruits and plants for planting (EFSA, 2014). For instance, if this pathogen was to be introduced into the European Union (EU), it would be able to become established due to the presence of hosts and favorable climatic conditions for its spread and disease development, as was the case recently in Tunisia (Boughalleb-M'Hamdi et al., 2020; Galvañ et al., 2022). While the

importation of citrus plants for planting is prohibited by current EU regulations (*European* Union Commission, 2019), the importation of fruit shipments for consumption is frequent, providing that they are free from *P. citricarpa*. Despite its pathogenicity toward citrus fruits, the sister species *P. paracitricarpa* is currently not considered a quarantine pathogen in any region of the world. Therefore, it is necessary to test fruits for the presence of *P. citricarpa* and a highly specific detection assay enabling a quick response from the analysis lab is required so that citrus shipments may be blocked or released within only a few days.

The current diagnostic protocols for detecting and identifying P. citricarpa include several real-time PCR (qPCR) methods (Ahmed et al., 2020; Schirmacher et al., 2019; van Gent-Pelzer et al., 2007; Zajc et al., 2022) and conventional PCR (cPCR) methods (Baayen et al., 2002; Peres et al., 2007). Most of these assays are based on the amplification of a specific region of the internal transcribed spacer (ITS) region of rDNA (Bonants et al., 2003; Peres et al., 2007; Schirmacher et al., 2019; van Gent-Pelzer et al., 2007). However, it has been shown that the ITS is 100% identical in the two sister species P. citricarpa and P. paracitricarpa (Guarnaccia et al., 2017). False positive results can therefore be obtained when testing DNA of the non-target species P. paracitricarpa (EPPO, 2020). Such cross-reactions with P. paracitricarpa DNA were also observed with the assay developed by Ahmed et al. (2020) targeting phylogenetic marker MCM7. The method of Zajc et al. (2022) is based on the *tef1* gene, which should differ between *P. citricarpa* and P. paracitricarpa by five nucleotide changes (Guarnaccia et al., 2017). However, this method was developed and validated in vitro using two strains of P. paracitricarpa, both from the same orchard in Greece. This may be an additional difficulty when designing specific PCR methods targeting quarantine organisms. For example, it has been shown that P. citricarpa exhibits intraspecific polymorphism in some relevant genes frequently used in fungal phylogenetics and taxonomy, such as γ -actin (*actA*), the glyceraldehyde-3phosphate dehydrogenase (gadph), or the LSU (Guarnaccia et al., 2017; Wang et al., 2012).

It is a challenge to find diverging regions within the genomes of genetically closely related or cryptic species (*Dutech et al., 2016*; *Feau et al., 2018*). For example, according to *Guarnaccia et al. (2019)*, a very limited proportion of genes appeared to differ between *P. citricarpa* and *P. paracitricarpa*, although a limited number of strains of *P. paracitricarpa* were included in the study. Indeed, for those particular taxa, frequently used housekeeping genes are not sufficiently polymorphic to be used as targets for highly specific PCR or real-time PCR oligonucleotides. In the case of a species complex, genetic lineages of the same species, or cryptic species, comparative genomics is a powerful means for screening either polymorphic or unique regions in the genomes (*Bergeron et al., 2019*; *Feau et al., 2019*; *Pieck et al., 2017*; *Thierry et al., 2019*).

The first objective of this study was to use a set of genomes from *P. citricarpa*, *P. paracitricarpa*, and other *Phyllosticta* species that are pathogenic or endophytic in Citrus so as to assess their phylogenetic relationship. Second, we took advantage of this comparative genomics study to screen polymorphic genomic regions, which could be used as tentative markers to design a specific PCR assay targeting *P. citricarpa*. Last, a set of diagnostic tools (real-time and conventional PCR) were designed and fully validated for

the specific *in planta* detection of *P. citricarpa*, allowing it to be differentiated from its closely related sister species, *P. paracitricarpa*, and from other *Phyllosticta* species described in Citrus. In this work, a large set of *Phyllosticta* strains from Citrus were used as references, both for sequencing and for testing, in order to cover insofar as possible the range of natural diversity occurring for these globally distributed species.

MATERIAL AND METHODS

Genomics and phylogenetics of Phyllosticta spp. in Citrus

The genomes of 14 strains representing P. citricarpa (six), P. paracitricarpa (two), P. citriasiana (three), P. capitalensis (one), P. citrichinaensis (one), and Phyllosticta sp. (one) were sequenced (Information S1). In order to take into consideration potential intraspecific diversity within P. citricarpa, strains from different regions of the world were included: Togo, South Africa, Zimbabwe, Tunisia and Malta. Genomic DNA (gDNA) was extracted from monosporic cultures using the GenElute Plant Genomic DNA Miniprep kit (Merck, Lebanon, NJ, USA), following the manufacturer's instructions, after an initial grinding step using lysing Matrix C tubes in a FastPrep24 homogenizer (MP Biomedicals, Santa Ana, CA, USA), with a one-run program at 6.0 U for 1 min. DNA samples were eluted twice in a volume of 50 µL each time. gDNA concentrations were estimated using a Qubit fluorometer (Thermo Fisher Scientific, Illkirch-Graffenstaden, France) prior to genome sequencing. Library construction and paired-end genome sequencing $(2 \times 150 \text{ bp})$ were performed by GENEWIZ (Azenta Life Sciences, Leipzig, Germany) using an Illumina HiSeq device. Additional genomes from P. citricarpa (11), P. paracitricarpa (three), and P. citribraziliensis (one) were retrieved either from the Joint Genome Institute Genome Portal (https://genome.jgi.doe.gov/portal/) or the National Center for Biotechnology Information (https://www.ncbi.nlm.nih.gov/genome/) (Information S1).

TrimGalore-0.6.8 (https://www.bioinformatics.babraham.ac.uk/projects/trim_galore/), a wrapper tool around Cutadapt (Martin, 2011) and FastQC (https://www.bioinformatics. babraham.ac.uk/projects/fastqc/) was used for adapter trimming and the quality control of genomic reads. De novo genome assemblies were conducted with ABySS-2.3.1 (Jackman et al., 2017; Simpson et al., 2009). Assembly quality statistics were obtained with Quast 5.0.2 (Gurevich et al., 2013) and BUSCO 5.2.2 (Manni et al., 2021). Gene prediction was performed on assembled genomes using Augustus 3.4.0 (Stanke et al., 2006). Single-copy genes were identified using Funybase (Marthey et al., 2008), a reliable database that provides 246 orthologous gene families for performing comparative and phylogenetic analyses in fungi. These gene clusters are present as single copies in 21 fungal genomes. The protein sequences of Sclerotinia sclerotiorum were searched for in the annotated genomes of *P. citricarpa* using BLASTp with a similarity cutoff e-value of 1^{-20} (*Feau et al.*, 2018). Sequences with more than one hit in the target genome were discarded from subsequent analyses. Single-copy isolated protein sequences were then searched for in the annotated genomes in order to obtain the nucleotide sequences (predicted genes) obtained with Augustus. The isolates retained for this part of the study were those in which all the selected genes were present and not fragmented or missing. Genome assemblies were deposited at DDBJ/ENA/GenBank under the BioProject number PRJNA949004.

These nucleotide sequences were individually analyzed using SeaView version 5 (*Gouy et al., 2021*). The analyses included sequence alignment with Muscle (*Edgar, 2004*), removal of poorly aligned positions with Gblocks (*Talavera & Castresana, 2007*) and concatenation of all the isolated single-copy sequences. RAxML (*Stamatakis, 2014*) was used for maximum-likelihood phylogenetic inference, using the general time reversible (GTR)-gamma model with 1,000 replicates to estimate bootstrap supports. A Bayesian phylogenetic tree was inferred using MrBayes 3.2 (*Ronquist et al., 2012*). Runs were performed using the Bayesian MCMC model jumping approach. Four MCMC chains were run using the default heating with tree sampling performed every 5,000 generations. Runs were performed for at least 10 million generations, and stopped when the standard deviation of split frequencies was below 0.01. A consensus maximum-likelihood and Bayesian phylogenetic cladogram was visualized and annotated with SplitsTreeCE (https:// github.com/husonlab/splitstree6) (*Huson & Cetinkaya, 2023*).

Selection of highly divergent genomic regions in *P. citricarpa* and *P. paracitricarpa*

The genomes of five *P. paracitricarpa* and 32 *P. citricarpa* strains were used to check which regions in the two species were clearly divergent (Information S1). Genomic resources included the genomes of strains sequenced in this study and 30 previously published genomes (*Coetzee et al., 2021; Guarnaccia et al., 2019; Rodrigues et al., 2019*) which were downloaded either from the MycoCosm database or the National Center of Biotechnology Information (NCBI) Sequence Read Archive (SRA) database.

Both the newly generated reads and the downloaded sequences were individually filtered by Trimmomatic v0.39 (*Bolger, Lohse & Usadel, 2014*) to remove adapters and low-quality sequences. The cleaned reads were then mapped to the reference genome CBS 102373 using BWA-mem v0.7.17 (*Li & Durbin, 2009*). The resulting alignments were sorted by position using SAMtools v1.3 (*Li et al., 2009*) and the duplicated alignments from the PCR amplification were then masked by Picard v2.18.7 (http://broadinstitute.github. io/picard/). The Genome Analysis Toolkit (GATK) v4.2 (*McKenna et al., 2010*) was used for variant calling, selection, and filtration. The obtained variants were filtered using the following parameters: "QD < 2.0 || MQ < 40.0 || FS > 60.0 || SOR > 3.0 || MQRankSum < -12.5 || ReadPosRankSum < -8.0". Polymorphic sites with a missing rate less than 0.5 and a minor allele frequency greater than 0.02 were kept.

Regions that were clearly distinct from each other in the two *Phyllosticta* species were identified by comparing the differences in allele frequency in the two populations; the read alignments were visualized using the Integrative Genomics Viewer (IVG) (*Robinson et al., 2017*). Read alignments of the ITS and *tef1* genomic regions in the reference genome were also checked in order to assess the intra- and interspecific polymorphism within these genes recommended as a barcode for identification purposes (*EPPO, 2020*; *Schoch et al., 2012*). The genomic positions of the ITS and *tef1* gene were identified by searching for the target regions of the following PCR primers: V9G (*de Hoog & van den Ende, 1998*), ITS4 (*White et al., 1990*), EF1-728F (*Carbone & Kohn, 1999*), and EF-2 (*O'Donnell et al., 1998*).

The reads in the candidate regions were extracted from the bam file using SAMtools, and visualized with the IGV.

Design of *P. citricarpa*-specific primers and probe for PCR and real-time PCR

The previous steps led to the identification of a genomic region that was clearly different in *P. citricarpa* and *P. paracitricarpa*. This region of unknown function was downloaded for each genome for *P. citricarpa*, *P. paracitricarpa*, and other *Phyllosticta* species occurring in Citrus. All the orthologous sequences were aligned using the MUSCLE algorithm implemented in Geneious Prime (Biomatters V2021.2.2; Biomatters, Auckland, New Zealand). Candidate primers and probe oligonucleotides were designed using Primer 3 (*Untergasser et al., 2012*) based on the regions showing polymorphisms between species, but conserved in *P. citricarpa*. The melting temperature, potential formation of secondary structures, and interactions among the oligonucleotide sequences were evaluated *in silico* using Geneious Prime. All the primers and probes used in this study were synthesized by Eurogentec (Seraing, Belgium).

Fungal strains and extraction of genomic DNA from single-spore cultures

A panel of 56 *Phyllosticta* spp. strains from different origins and hosts (Table 1), mainly from *Citrus* spp., were used for this study. All these isolates were identified by barcode sequencing using either the regions LSU and *tef1* (for *Phyllosticta* spp.) or ITS (other species) (Table 2). A subset of sequence data was submitted to GenBank (Information S2). In addition, a subset of the *P. citricarpa* and *P. paracitricarpa* strains were examined by genotyping using ten microsatellite loci, initially developed for *P. citricarpa*, according to *Carstens et al.* (2017) and *Wang et al.* (2016). A minimum spanning network was constructed based on pairwise allele shared distance, using Edenetwork 2.18 (*Kivelä, Arnaud-Haond & Saramäki, 2015*).

P. citricarpa strains were manipulated in a biosafety level 3 laboratory. All the cultures were single-spored, and then grown at 22 °C on potato dextrose agar (PDA) with a sterile cellophane disc over the surface. Once the mycelium colonized the cellophane disc, it was recovered with a sterile scalpel and placed in a sterile microtube, then kept at -20 °C until DNA extraction.

Additional strains of other genera occurring on Citrus were included in this study (Table 1). Cultures were grown as described above and the gDNA of these strains was extracted using the Plant DNeasy mini kit (Qiagen, Marseille, France) as per the manufacturer's instructions, then kept at -20 °C until further use.

Conventional and real-time PCR reaction conditions

The combination of the forward and reverse primers, and the probe developed in this project will be referred to cCBS (for conventional PCR) and qCBS (for real-time PCR): CBS stands for citrus black spot. Conditions for both cCBS and qCBS were assessed to ascertain their specificity towards the target species *P. citricarpa*. In particular, the assays

Table 1 Isolates of fun	gal species used in	this study.					
Species	Isolate	Host	Country or region of origin	Year	qCBS-qPCR-F/ R/P	cCBS-cPCR- F/R	ITS PCR
Phyllosticta citricarpa	LSVM 205	Citrus sp.	South Africa	2009	30.28 ± 0.07	+	+
	LSVM 359	Citrus sp.	Togo	2010	19.87 ± 0.02	+	+
	LSVM 494	Citrus sp.	Togo	2011	30.91 ± 0.14	+	+
	LSVM 1101	C. sinensis × P. trifoliata	South Africa	2014	20.56 ± 0.03	+	+
	LSVM 1102	C. sinensis	South Africa	2013	20.59 ± 0.26	+	+
	LSVM 1103	C. sinensis	South Africa	2013	31.45 ± 0.38	+	+
	LSVM 1116	C. sinensis	South Africa	2014	19.82 ± 0.00	+	+
	LSVM 1123	C. sinensis	Zimbabwe	2014	21.06 ± 0.00	+	+
	LSVM 1228	C. sinensis	Ivory Coast	2015	20.59 ± 0.07	+	+
	LSVM 1243	C. sinensis	South Africa	2015	20.41 ± 0.05	+	+
	LSVM 1244	C. sinensis	Brazil	2015	20.70 ± 0.18	+	+
	LSVM 1266	C. sinensis	Brazil	2015	37.31 ± 0.22	+/	+
	LSVM 1268	C. sinensis	Brazil	2015	19.93 ± 0.11	+	+
	LSVM 1270	C. sinensis	Brazil	2015	21.74 ± 0.15	+	+
	LSVM 1276	C. sinensis	Brazil	2015	30.82 ± 0.35	+	+
	CBS 141350	C. sinensis (litter)	Malta	2016	21.51 ± 0.05	+	+
	CBS 141351	C. sinensis (litter)	Portugal	2016	23.44 ± 0.09	+	+
	LSVM 1499	C. limon	Tunisia	2019	16.30 ± 0.08	+	+
	LSVM 1500	C. limon	Tunisia	2019	20.04 ± 0.47	+	+
	LSVM 1501	C. sinensis	Tunisia	2019	20.56 ± 0.10	+	+
	LSVM 1502	C. sinensis	Tunisia	2019	20.28 ± 0.01	+	+
	GC-115	C. sinensis	Brazil	2010	23.28 ± 0.20	+	+
	GC-129	C. limon	Argentina	2014	23.15 ± 0.26	+	+
	GC-130	C. limon	Argentina	2014	23.70 ± 0.00	+	+
	GC-131	C. limon	Argentina	2014	23.04 ± 0.24	+	+
	GC-133	C. sinensis	Angola	2016	24.31 ± 0.01	+	+
P. paracitricarpa	CBS141357	C. lemon (litter)	Greece	2016	>45	-	+
	CBS 141359	C. lemon (litter)	Greece	2016	>45	-	+
	ZJUCC200937	C. reticulata	China	2017	>45	-	+
	GIHF 303	C. sinensis	China	2017	>45	-	+
	LSVM 1238*	C. pennivesiculata	Bengladesh	2015	>45	_	+
P. citriasiana	LSVM 1146	C. maxima	China	2014	>45	_	+
	LSVM 204	Citrus sp.	-	2007	>45	-	+
	LSVM 608	C. maxima	China	2012	>45	_	+
	LSVM 903	C. maxima	China	2013	>45	-	+
	CBS 123393	Citrus sp.	Vietnam	2014	>45	-	+
	LSVM 1147	C. maxima	China	2014	>45	-	+
	LSVM 1152	C. maxima	China	2014	>45	-	+
	LSVM 1165	C. maxima	China	2014	>45	-	+
	LSVM 1174	C. paradisi	USA	2014	>45	-	+

(Continued)

Table 1 (continued)							
Species	Isolate	Host	Country or region of origin	Year	qCBS-qPCR-F/ R/P	cCBS-cPCR- F/R	ITS PCR
	LSVM 1279	C. maxima	China	2015	>45	-	+
P. capitalensis	LSVM 502	Musa sp.	Guadeloupe	2012	>45	-	+
	LSVM 607	C. maxima	China	2012	>45	_	+
	LSVM 1089	C. latifolia	Brazil	2014	>45	-	+
	LSVM 1104	C. sinensis × C. trifoliata	Brazil	2014	>45	-	+
	LSVM 1117	C. latifolia	Guadeloupe	2014	>45	-	+
	LSVM 1119	C. paradisi	Mayotte	2014	>45	-	+
	LSVM 1124	C. paradisi	Mayotte	2014	>45	-	+
	LSVM 1163	C. grandis	China	2014	>45	-	+
	LSVM 1166	C. grandis	China	2014	>45	-	+
	LSVM 1226	Rollinia pulchrinervia	French Guyana	2015	>45	-	+
	LSVM 1245	C. sinensis	Brazil	2015	>45	-	+
P. citrichinaensis	CBS 129764	C. maxima	China	2015	>45		+
P. citribraziliensis	CBS 100098	Citrus sp.	Brazil	2014	>45	-	+
P. paracapitalensis	CBS 141353	C. floridana	Italy	2016	>45	-	+
Phyllosticta sp.	LSVM 1173	C. latifolia	Mexico	2014	>45	-	+
Colletotrichum gloeosporioides	LSVM 935	C. sinensis	Guadeloupe	2013	>45	-	+
Fusarium oxysporum	LSVM 902	C. sinensis	Guadeloupe	2013	>45	-	+
Rhizoctonia solani	LSVM 392	<i>Platanus</i> sp.	Corse	2011	>45	-	+
Passalora loranthi	LSVM 1133	C. sinensis	Brazil	2014	>45	-	+
Elsinoe fawcettii	DUDA IMK Tem 3	Citrus (Temple fruit)	Florida	2001	>45	-	+
Elsinoe fawcettii	CBS233.64	C. aurentium	Panama	-	>45	-	+/-
Elsinoe fawcettii	USA Russel 15	C. temple	Florida	1991	>45	-	+
Elsinoe fawcettii	CC-3	Citrus volkamer	Florida	1990	>45	-	+
Elsinoe fawcettii	PK MURL3	Citrus murcott	Florida	2014	>45	-	+
Elsinoe fawcettii	DUDA IMK TEM 2	Citrus sp.	-	-	>45	-	-
Elsinoe australis	CBS22964	C. aurantifolia	Brazil	-	>45	-	+
Elsinoe australis	SOS 53525	Sweet orange	Florida	2016	>45	-	+
Elsinoe citricola	CBS 141876	C. limonia	Brazil	2010	>45	-	-
Alternaria alternata	LSVM 1108	C. latifolia	Brazil	2012	>45	-	NT
Pseudocercospora angolensis	C-ethiop-3	C. aurantiifolia	Ethiopia	2016	>45	-	+
Diaporthe sp.	LSVM 1109	C. latifolia	Brazil	2012	>45	-	+
Fusarium proliferatum	LSVM 1168	C. sinensis	Argentina	2014	>45	-	+
Neofusicoccum parvum	LSVM 884	C. sinensis	Guadeloupe	2013	>45	-	+
Periconia sp.	LSVM 1139	C. sinensis	Argentina	2014	>45	-	+

Table 1 (continued)							
Species	Isolate	Host	Country or region of origin	Year	qCBS-qPCR-F/ R/P	cCBS-cPCR- F/R	ITS PCR
Penicillium italicum	Penicillium 1	<i>Citrus</i> sp.		х	>45	-	+
Ramichloridium cerophilum	LSVM 1176	C. grandis	China	2014	>45	-	+

Notes:

DNA template concentrations were all adjusted to 1 ng/µL for PCR testing. NT, not tested.

* Strain LSVM1238 was initially identified as *P. citricarpa* by sequencing EF1 and ITS according to *Guarnaccia et al. (2017)*, but displays a microsatellite multilocus genotype pattern typical of *P. paracitricarpa*. It also clusters with *P. paracitricarpa* strains in the 51-gene phylogeny.

Table 2 List of primers	Table 2 List of primers and probes used in this study for conventional and real-time PCR.										
Target (DNA region)	PCR test	Purpose	Name	Sequence (5'-3')	Reference						
Phyllosticta citricarpa (Scaffold_23 CBS102373)	"cCBS" Conventional PCR	Detection of <i>P. citricarpa</i>	CBS-F	TCCTTTGGAGCAGCTGC	This study						
			CBS-R	CTTGCTTCCCTTGAATGAGACTG							
	"qCBS" Real-time PCR	Detection of <i>P. citricarpa</i>	CBS-F	TCCTTTGGAGCAGCTGC							
			CBS-R	CTTGCTTCCCTTGAATGAGACTG	This study						
			CBS-P	FAM-AGTCACCTCCGAAGAAGCCAGTCC-BHQ1							
Phyllosticta citricarpa (ITS)	"VGP" Real-time	Detection of	GcF1	GGTGATGGAAGGGAGGCCT	van Gent-Pelzer et al. (2007)						
	PCR	P. citricarpa	GcR1	GCAACATGGTAGATACACAAGGGT							
			GcP1	FAM-AAAAAGCCGCCCGACCTACCTTCA-BHQ1							
Plant/fungus (18S rDNA)	Real-time PCR	DNA quality	18S uni F	GCAAGGCTGAAACTTAAAGGAA	Ioos et al. (2009)						
		control	18S uni R	CCACCACCATAGAATCAAGA							
			18S uni P	JOE-ACGGAAGGGCACCACCAGGAGT-BHQ1							
ITS region	Conventional PCR	Sequencing	ITS5	GGAAGTAAAAGTCGTAACAAGG	White et al. (1990)						
			ITS4	TCCTCCGCTTATTGATATGC							
<i>tef1</i> gene	Conventional PCR	Sequencing	EF1-728F	CATCGAGAAGTTCGAGAAGG	Carbone & Kohn (1999)						
			EF2	GGARGTACCAGTSATCATGTT	O'Donnell et al. (1998)						
28 S large subunit rDNA	Conventional PCR	Sequencing	LR0R	ACCCGCTGAACTTAAGC	Moncalvo (1995)						
			LR5	TCCTGAGGGAAACTTCG	Vilgalys & Hester (1990)						

were optimized not to cross-react with DNA of *P. paracitricarpa* or *P. citriasiana*, which are genetically closely related to *P. citricarpa*.

cCBS reactions contained 1× PCR reaction buffer, 1.5 mM of MgCl₂, 0.25 mM of each dNTP, 0.6 μ M of each forward (cCBS-F) and reverse (cCBS-R) primer, 0.05 U of HGS Diamond Taq DNA polymerase (Eurogentec, Seraing, Belgium), 0.6 μ g/ μ L Bovine Serum Albumin (BSA) and 2 μ L of DNA template. Molecular grade water was added to the reaction up to 20 μ L. cCBS PCR runs were performed using an initial denaturation step at 95 °C for 10 min, followed by 40 cycles of denaturation at 94 °C for 30 s, annealing at 64 °C for 30 s and elongation at 72 °C for 45 s, with a final elongation step at 72 °C for 10 min. cCBS PCR runs were performed in a BioRad T100 thermocycler (Bio-Rad, Hercules, CA,

USA). cCBS PCR products were visualized in a 1.5% agarose gel in 0.5× tris-borate-EDTA buffer stained with Ethidium bromide.

qCBS reactions contained 1× PCR reaction buffer, 5 mM of MgCl₂, 0.2 mM of each dNTP, 0.1 μ M of forward primer qCBS-F, 0.2 μ M of reverse primer qCBS-R, 0.1 μ M of qCBS-P probe, 0.025 U μ L of the qPCR Core Kit DNA polymerase, 0.6 μ g/ μ L Bovine Serum Albumin (BSA), and 2 μ L of DNA template. Molecular grade water was added up to 20 μ L for the final volume. The qCBS cycling conditions were 1 cycle of initial denaturation at 95 °C for 10 min, and 45 cycles of denaturation at 95 °C for 15 s followed by annealing at 68 °C for 1 min. qCBS reactions were performed using the Eurogentec Core Kit No ROX in a Rotor-Gene 6500 thermocycler (Qiagen, Marseille, France). Each reaction's Ct values and the standard deviations obtained from all the samples' replicates were recorded by the Rotor-Gene Q series software (v 2.3.5; Qiagen, Marseille, France).

Construction of a plasmid positive control for conventional PCR and real-time PCR

The gDNA of *P. citricarpa* strain LSVM 1501 was used to produce the plasmid positive control for the primer pairs qCBS-F (cCBS-F) and qCBS-R (cCBS-R), using the Clone JET PCR Cloning kit (Thermo Fisher Scientific, Illkirch-Graffenstaden, France). Amplicons generated with the primers were inserted in the pJET1.2/blunt vector in order to transform competent DH10B cells of *Escherichia coli*. These *E. coli* cells were then transferred to Petri dishes containing Luria-Bertani (LB) broth amended with 50 mg L⁻¹ of ampicillin, and were incubated overnight at 37 °C. The plasmid DNA (pDNA) was extracted from the bacterial cells using the Nucleospin Plasmid kit (Macherey-Nagel, Düren, Germany). The molecular mass of the plasmid and the number of plasmid copies (pc) produced were calculated, and a dilution series of the plasmid was further tested by cCBS and qCBS. Plasmid DNA (pDNA) was diluted in 1× tris-EDTA (TE) buffer and kept at -20 °C until use.

Performance assessment of the optimized conventional and real-time PCR assays

The analytical specificity of the cPCR and qPCR assays was assessed with a DNA panel that included 30 non-target *Phyllosticta* spp. and 21 other fungal species isolated from citrus fruits (Table 1). The inclusivity of both cCBS and qCBS assays was assessed with a panel of 26 *P. citricarpa* isolates from different hosts and origins (Table 1). All gDNA samples were diluted at 1 ng μ L⁻¹. Runs included two replicates per sample. Negative controls were included in each run and consisted of DNA extracted from healthy orange and lemon peel and normalized at 1 ng μ L⁻¹.

The analytical sensitivity of the cCBS and qCBS assays was assessed by testing a ten-fold dilution series of the pDNA diluted in $1 \times$ tris-EDTA (TE) buffer and a ten-fold dilution series of the pDNA diluted in a background of 1 ng μ L⁻¹ of healthy orange and lemon peel (flavedo) DNA, mixed at a ratio of 1:1. Each dilution series ranged from 3.16 10⁶ to 3.16 pc. The limit of detection (LOD) was estimated as the lowest concentration of pDNA in 1× TE buffer that yielded 100% positive results on all replicates included in the cCBS and qCBS

reactions in our conditions. In the case of qCBS, a standard curve was obtained for each type of matrix tested (pDNA in $1 \times$ TE buffer, pDNA with orange peel DNA and lemon peel DNA).

The qCBS assay was further assessed by evaluating additional criteria such as repeatability, reproducibility, robustness and transferability, in order to check its behavior in conditions close to routine analysis with target and non-target DNA. All these four criteria were evaluated with a panel consisting of pDNA at 10×, 100× and 1,000× (only for repeatability) the LOD, as well as 0.1 ng μ L⁻¹ of gDNA of *P. citricarpa* strain LSVM1501 and diluted in 1 ng μ L⁻¹ solution of healthy orange or lemon peel DNA (ratio 1:1), gDNA of *P. paracitricarpa* strains ZJUCC200937 and LSVM 1238, and *P. citriasiana* strain LSVM 1146 at 1 ng μ L⁻¹ each.

For repeatability, ten replicates of each template were tested by a single operator using the same real-time PCR equipment (Rotorgene Q; Qiagen, Marseille, France). For reproducibility, three replicates of each template were tested on the same qPCR equipment by two different operators over 3 days. The robustness of the qPCR assay was evaluated by modifying two qPCR parameters. First, the qPCR assay was performed using a ±10% variation in the final qPCR reaction volume (*i.e.*, 18 and 22 µL). Second, the qPCR assay was performed by modifying the hybridization temperature by ± 2 °C (*i.e.*, 66 °C and 70 °C). These qPCR assays were performed with 10 replicates of each template.

The transferability of the method was assessed by comparing the performance of two different thermocyclers (Rotorgene Q and Roche Lightcycler 480) and four different qPCR kits or master mixes (No ROX qPCR Core Kit, Eurogentec; QuantaBio PerfeCTa qPCR ToughMix; No ROX qPCR Master Mix, Eurogentec; and the Eurogentec Takyon Core kit) in the same laboratory. An additional experiment was added by involving another laboratory (IAM-GIHF, Madrid, Spain), which used its own master mix (TaKaRa Premix Ex TaqTM (Probe qPCR); TaKaRa, Kusatsu, Japan) and equipment (Rotorgene Q; Qiagen, Marseille, France). The qPCRs were carried out using ten replicates of each template.

Analysis of naturally infected citrus materials

The cCBS PCR and qCBS qPCR assays were assessed on a set of citrus fruit samples with symptoms that looked like citrus black spot. It included 107 DNA samples comprising DNAs previously extracted from naturally infected citrus fruits of various provenances and species intercepted in French harbors between 2018–2020, as well as 12 DNAs obtained from fruit lesions/symptoms that resembled CBS disease but tested negative for *P. citricarpa* with *van Gent-Pelzer et al.*'s (2007) assay (Table 3). These 12 DNA samples were used as negative controls. In addition, DNA samples extracted from CBS lesions on infected fresh fruits obtained for this study from Argentina and two sites in Tunisia (Table 3) were also tested. DNA was extracted from CBS lesions using the DNeasy Plant Mini kit (Qiagen, Marseille, France) following the manufacturer's protocol. The initial grinding step was performed using Lysing Matrix A tubes and a FastPrep24 grinding machine (MP Biomedicals, Santa Ana, CA, USA), with a two-run program at 6.5 U for 1 min.

PeerJ____

Table 3 Te	esting of	citrus fruits showing CBS-like s	ymptoms	by the cCBS P	CR, qCBS qPCR	, and van Gent-	Pelzer et al. (200	7) qPCR.
Sample	Year	Host	Organ	Origin	cCBS PCR	qCBS qPCR	VGP qPCR	18S uni qPCR
18-429/2a	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	+	28.74 ± 0.34	18.78 ± 0.17	11.67 ± 0.00
18-429/2b	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	+	29.01 ± 0.04	20.07 ± 0.00	11.97 ± 0.10
18-429/2c	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	+	28.87 ± 0.01	20.38 ± 0.04	12.23 ± 0.05
18-429/2d	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	+	27.63 ± 0.29	17.37 ± 0.09	10.74 ± 0.06
18-429/2e	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	+	27.71 ± 0.53	18.06 ± 0.08	10.94 ± 0.04
18-429/2f	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	n.t.	30.41 ± 2.34	19.94 ± 0.01	10.76 ± 0.05
18-429/2g	2018	Citrus reticulata × C. sinensis	Fruit	Argentina	+	32.69 ± 0.29	23.54 ± 0.07	12.79 ± 0.04
18-429/4a	2018	Citrus × limonia	Leaves	Argentina	n.t.	24.16 ± 0.29	16.94 ± 0.22	15.37 ± 0.13
18-429/4b	2018	Citrus × limonia	Leaves	Argentina	+	28.61 ± 1.26	14.02 ± 0.91	12.00 ± 0.02
18-429/4c	2018	Citrus × limonia	Leaves	Argentina	+	24.05 ± 0.25	16.44 ± 0.33	13.80 ± 0.11
18-429/4d	2018	Citrus × limonia	Leaves	Argentina	+	23.55 ± 0.02	15.20 ± 0.08	11.39 ± 0.30
18-429/4e	2018	Citrus × limonia	Leaves	Argentina	+	24.59 ± 0.31	16.52 ± 0.21	12.68 ± 0.11
18-429/4f	2018	Citrus × limonia	Leaves	Argentina	+	33.03 ± 0.47	24.99 ± 0.02	15.94 ± 0.11
18-429/4g	2018	Citrus × limonia	Leaves	Argentina	+	27.30 ± 0.18	19.39 ± 0.03	14.84 ± 0.03
18-429/5a	2018	Citrus limon	Fruit	Argentina	+	31.78 ± 0.04	23.16 ± 0.05	12.47 ± 0.04
18-429/5b	2018	Citrus limon	Fruit	Argentina	+	31.28 ± 0.01	21.92 ± 0.10	12.35 ± 0.02
18-429/5c	2018	Citrus limon	Fruit	Argentina	+	30.03 ± 0.26	21.57 ± 0.01	11.63 ± 0.00
18-429/5d	2018	Citrus limon	Fruit	Argentina	+	29.58 ± 0.08	21.03 ± 0.19	12.51 ± 0.10
18-429/5e	2018	Citrus limon	Fruit	Argentina	+	29.30 ± 0.12	20.69 ± 0.03	12.45 ± 0.02
18-429/5f	2018	Citrus limon	Fruit	Argentina	+	32.10 ± 0.16	22.86 ± 0.02	14.42 ± 0.04
18-429/5g	2018	Citrus limon	Fruit	Argentina	+	30.03 ± 0.03	21.56 ± 0.03	13.52 ± 0.08
18-429/6a	2018	Citrus sinensis	Fruit	Argentina	+	28.56 ± 0.09	19.98 ± 0.01	9.96 ± 0.06
18-429/6b	2018	Citrus sinensis	Fruit	Argentina	+	28.40 ± 0.30	19.67 ± 0.05	9.00 ± 0.05
18-429/6c	2018	Citrus sinensis	Fruit	Argentina	+	30.37 ± 0.39	21.90 ± 0.02	9.69 ± 0.03
18-429/6d	2018	Citrus sinensis	Fruit	Argentina	+	30.76 ± 0.15	21.99 ± 0.14	8.99 ± 0.11
18-429/6e	2018	Citrus sinensis	Fruit	Argentina	+	30.42 ± 0.08	21.42 ± 0.13	9.47 ± 0.02
18-429/6f	2018	Citrus sinensis	Fruit	Argentina	+	31.68 ±0.09	22.80 ± 0.06	8.82 ± 0.14
18-429/6g	2018	Citrus sinensis	Fruit	Argentina	+	33.13 ± 0.36	24.12 ± 0.05	9.77 ± 0.08
18-349	2018	Citrus limon	Fruit	Argentina	+	31.57 ± 0.43	23.78 ± 0.01	12.39 ± 0.11
18-374	2018	Citrus limon	Fruit	Argentina	+	35.13 ± 1.00	27.45 ± 0.08	14.35 ± 0.01
18-460/1	2018	Citrus sinensis	Fruit	Brazil	+	28.77 ± 0.35	20.82 ± 0.15	11.61 ± 0.01
18-551	2018	Citrus sinensis	Fruit	Benin	+	33.03 ± 0.17	22.48 ± 0.11	11.18 ± 0.54
18-552	2018	Citrus sp.	Fruit	Benin	+	31.06 ± 0.18	20.21 ± 0.01	9.25 ± 0.32
19-065	2019	Citrus limon	Fruit	Tunisia	n.t.	32.13 ± 0.45	21.23 ± 0.01	8.72 ± 0.06
19-116	2019	Citrus sinensis	Fruit	Tunisia	+	28.82 ± 0.09	17.79 ± 0.14	8.31 ± 0.27
19-117	2019	Citrus sinensis	Fruit	Tunisia	_	>45	35.78 ^{*,a}	8.77 ± 0.05
19-118	2019	Citrus sinensis	Fruit	Tunisia	+	28.90 ± 0.14	18.68 ± 0.01	9.77 ± 0.00
19-119	2019	Citrus sinensis	Fruit	Tunisia	+	34.56 ± 0.18	23.25 ± 0.07	8.57 ± 0.02
19-133	2019	Citrus limon	Fruit	Tunisia	+	24.32 ± 0.47	13.43 ± 0.11	10.79 ± 0.05
19-146/a	2019	Citrus sinensis	Fruit	Tunisia	+	29.53 ± 0.09	17.97 ± 0.02	7.92 ± 0.02
19-146/b	2019	Citrus sinensis	Fruit	Tunisia	+	31.74 ± 0.24	20.65 ± 0.01	7.86 ± 0.03

PeerJ____

Table 3 (c	ontinued	l)						
Sample	Year	Host	Organ	Origin	cCBS PCR	qCBS qPCR	VGP qPCR	18S uni qPCR
19-159/2	2019	Citrus limon	Fruit	Tunisia	-	>45	>45	10.72 ± 0.04
19-5150/1	2019	Citrus sinensis	Fruit	South Africa	+	31.28 ± 0.17	19.66 ± 0.12	8.31 ± 0.36
19-5150/2	2019	Citrus sinensis	Fruit	South Africa	+	30.59 ± 0.09	19.51 ± 0.18	8.66 ± 0.04
19-5150/3	2019	Citrus sinensis	Fruit	South Africa	+	32.37 ± 0.07	20.24 ± 0.01	7.65 ± 0.01
19-5150/4	2019	Citrus sinensis	Fruit	South Africa	+	30.74 ± 0.10	19.64 ± 0.07	9.71 ± 0.07
19-5150/5	2019	Citrus sinensis	Fruit	South Africa	+	33.11 ± 0.25	21.83 ± 0.05	8.85 ± 0.08
19-5241/1	2019	Citrus sinensis	Fruit	South Africa	+	36.27 ± 0.41	24.45 ± 0.05	11.32 ± 0.08
19-5241/2	2019	Citrus sinensis	Fruit	South Africa	+	31.37 ± 0.14	20.25 ± 0.10	8.83 ± 0.01
20-2990	2020	Citrus sinensis	Fruit	Brazil	+	28.68 ± 0.05	18.46 ± 0.12	9.60 ± 0.00
20-2999/1	2020	Citrus limon	Fruit	Argentina	+	35.02 ± 0.12	22.54 ± 0.06	9.96 ± 0.08
20-3282/1	2020	Citrus limon	Fruit	Argentina	-	>45	35.04 ± 0.03^{a}	8.49 ± 0.02
20-2382/2	2020	Citrus limon	Fruit	Argentina	+	32.74 ± 0.16	22.55 ± 0.27	8.52 ± 0.02
20-3493/1	2020	Citrus limon	Fruit	Argentina	+	30.29 ± 0.03	20.05 ± 0.12	9.43 ± 0.01
20-3493/2	2020	Citrus limon	Fruit	Argentina	+	35.81 ± 0.04	24.43 ± 0.18	9.78 ± 0.05
20-3493/3	2020	Citrus limon	Fruit	Argentina	+	33.82 ± 0.20	22.75 ± 0.11	9.40 ± 0.01
20-3493/4	2020	Citrus limon	Fruit	Argentina	+	33.75 ± 0.16	22.79 ± 0.01	9.95 ± 0.02
20-3493/5	2020	Citrus limon	Fruit	Argentina	+	33.42 ± 0.08	22.50 ± 0.03	9.87 ± 0.03
20-3504/1	2020	Citrus limon	Fruit	Argentina	+	31.69 ± 0.28	21.34 ± 0.02	8.70 ± 0.03
20-3504/2	2020	Citrus limon	Fruit	Argentina	+	32.83 ± 0.01	22.03 ± 0.00	9.84 ± 0.03
20-3504/4	2020	Citrus limon	Fruit	Argentina	+	36.22 ± 0.34	24.63 ± 0.04	8.64 ± 0.01
20-3504/5	2020	Citrus limon	Fruit	Argentina	+	31.95 ± 0.27	21.58 ± 0.18	9.32 ± 0.06
20-0479	2020	Citrus reticulata	Fruit	South Africa	+	32.24 ± 0.04	22.41 ± 0.08	12.36 ± 0.04
TN1-F01	2021	Citrus limon	Fruit	Tunisia	+	32.62 ± 0.22	22.56 ± 0.13	10.64 ± 0.03
TN1-F02	2021	Citrus limon	Fruit	Tunisia	n.t.	36.10 ± 0.92	25.50 ± 0.05	9.89 ± 0.01
TN1-F03	2021	Citrus limon	Fruit	Tunisia	+	34.12 ± 0.12	23.04 ± 0.03	8.89 ± 0.00
TN1-F04	2021	Citrus limon	Fruit	Tunisia	+	35.36 ± 0.28	24.35 ± 0.03	10.26 ± 0.30
TN1-F05	2021	Citrus limon	Fruit	Tunisia	+	33.46 ± 0.27	22.57 ± 0.01	9.68 ± 0.01
TN1-F06	2021	Citrus limon	Fruit	Tunisia	+	34.17 ± 0.41	23.80 ± 0.07	10.55 ± 0.02
TN1-F07	2021	Citrus limon	Fruit	Tunisia	+	35.35 ± 0.44	24.63 ± 0.03	8.73 ± 0.06
TN1-F08	2021	Citrus limon	Fruit	Tunisia	+	36.39 ± 0.53	25.14 ± 0.00	10.60 ± 0.01
TN1-F09	2021	Citrus limon	Fruit	Tunisia	+	32.31 ± 0.39	22.14 ± 0.11	11.79 ± 0.02
TN1-F10	2021	Citrus limon	Fruit	Tunisia	+	32.43 ± 0.22	22.41 ± 0.01	10.67 ± 0.06
TN1-F11	2021	Citrus limon	Fruit	Tunisia	+	32.16 ± 0.52	21.95 ± 0.00	10.61 ± 0.06
TN1-F12	2021	Citrus limon	Fruit	Tunisia	+	33.23 ± 0.17	23.06 ± 0.01	10.50 ± 0.08
TN2-F01	2021	Citrus limon	Fruit	Tunisia	+	32.48 ± 0.15	23.31 ± 0.00	9.68 ± 0.13
TN2-F05	2021	Citrus limon	Fruit	Tunisia	+	34.95 ± 0.10	24.83 ± 0.01	10.62 ± 0.10
AR-F01	2021	Citrus sinensis	Fruit	Argentina	+	33.43 ± 0.14	23.52 ± 0.01	11.55 ± 0.17
AR-F02	2021	Citrus sinensis	Fruit	Argentina	+	34.54 ± 0.56	24.07 ± 0.03	11.86 ± 0.20
AR-F03	2021	Citrus sinensis	Fruit	Argentina	+	31.98 ± 0.20	22.83 ± 0.05	12.19 ± 0.01
AR-F04	2021	Citrus sinensis	Fruit	Argentina	+	33.34 ± 0.51	22.92 ± 0.04	11.28 ± 0.00
AR-F05	2021	Citrus sinensis	Fruit	Argentina	+	32.24 ± 0.42	22.64 ± 0.05	11.20 ± 0.02

(Continued)

PeerJ

Table 3 (co	ontinued)						
Sample	Year	Host	Organ	Origin	cCBS PCR	qCBS qPCR	VGP qPCR	18S uni qPCR
AR-F06	2021	Citrus sinensis	Fruit	Argentina	+	32.08 ± 0.10	22.42 ± 0.06	12.27 ± 0.09
20-01348	2020	Citrus sinensis	Fruit	Tunisia	-	>45	>45	8.87 ± 0.11
20-01427	2020	Citrus reticulata	Fruit	Israel	-	>45	>45	10.46 ± 0.04
20-04070	2020	Citrus sinensis	Fruit	Egypt	-	>45	>45	10.87 ± 0.03
20-02794	2020	Citrus limon	Fruit	South Africa	-	>45	>45	9.32 ± 0.19
20-02836	2020	Citrus limon	Fruit	Argentina	-	>45	32.21 ± 0.90^{a}	9.95 ± 0.02
20-05365	2020	Citrus sp.	Fruit	Japan	-	>45	>45	11.59 ± 0.13
21-00466	2021	Citrus sp.	Fruit	Bangladesh	-	>45	>45	8.51 ± 0.06
21-01914	2021	Citrus latifolia	Fruit	Brazil	-	>45	>45	8.74 ± 0.02
21-03392	2021	Citrus reticula	Fruit	Egypt	-	>45	>45	12.44 ± 0.03
333 ^{\$}	2015	Citrus sinensis	Fruit	Brazil	+	25.02 ± 0.03	19.77 ± 0.02	n.t
483 ^{\$}	2018	Citrus limon	Fruit	Argentina	+	25.27 ± 0.12	20.13 ± 0.09	n.t
507 ^{\$}	2018	Citrus sinensis	Fruit	Argentina	+	25.15 ± 0.34	19.74 ± 0.09	n.t
546 ^{\$}	2018	Citrus sinensis	Fruit	Brazil	+	24.78 ± 0.07	19.84 ± 0.14	n.t
599 ^{\$}	2019	Citrus limon	Fruit	Argentina	+	22.97 ± 0.41	18.46 ± 0.01	n.t
626 ^{\$}	2019	Citrus reticulata	Fruit	Uruguay	+	24.14 ± 0.08	18.14 ± 0.10	n.t
647 ^{\$}	2019	Citrus sinensis	Fruit	Uruguay	+	25.11 ± 0.05	20.14 ± 0.07	n.t
686 ^{\$}	2020	Citrus limon	Fruit	Argentina	+	29.08 ± 0.45	24.18 ± 0.06	n.t
703 ^{\$}	2020	Citrus limon	Fruit	Uruguay	+	27.86 ± 0.05	22.65 ± 0.06	n.t
816 ^{\$}	2020	Citrus sinensis	Fruit	Uruguay	+	23.9 ± 0.23	18.63 ± 0.02	n.t
890 ^{\$}	2021	Citrus sinensis	Fruit	Zimbabwe	+	25.24 ± 0.09	20.39 ± 0.07	n.t
897 ^{\$}	2021	Citrus limon	Fruit	South Africa	+	24.33 ± 0.10	18.68 ± 0.05	n.t
907 ^{\$}	2021	Citrus sinensis	Fruit	South Africa	+	26.95 ± 0.02	22.29 ± 0.03	n.t
1029 ^{\$}	2022	Citrus limon	Fruit	Argentina	+	27.9 ± 0.47	23.06 ± 0.01	n.t
1069 ^{\$}	2022	Citrus sinensis	Fruit	Argentina	+	27.45 ± 0.06	22.16 ± 0.07	n.t

Notes:

The 18S uni test was conducted to verify the amplifiability of the DNA extracts. The mean and standard deviation of Ct values were generated with two replicates. A value flagged with * means that only one out of the two replicates was positive. N.t stands for not tested.

^{\$} DNA extracted from fruit lesions by the IAM-GIHF laboratory.

^a Sample classified as negative according to our internal rules for the VGP assay.

All DNA extracts were also analyzed using the qPCR method of *van Gent-Pelzer et al.* (2007), used as the gold standard reference method, and hereafter referred to as VGP assay. In addition, the 18S Uni test developed by *Ioos et al.* (2009) that targets the 18S rDNA of plants and fungi by qPCR, was used to assess the quality of the amplified DNAs. Two replicates of each sample were included in the assays. The relative sensitivity, specificity and accuracy of the newly developed cCBS and qCBS were calculated according to ISO 16140 (*International Standardization Organization, 2016*) and *Ioos & Iancu* (2008).

RESULTS

Phylogeny of *Phyllosticta* spp from Citrus deduced from single-copy genes

The protein sequences searched for in the annotated genomes of *P. citricarpa* allowed 51 genes to be selected with a single hit. Alignments of each of these genes separately revealed





that 14 (27.5%) were polymorphic and could be used to discriminate between strains of *P. citricarpa* and *P. paracitricarpa*. In contrast, 28 genes (54.9%) were completely monomorphic in the two species. Finally, nine genes (17.6%) exhibited some intra-species polymorphism, but were not fixed in either all the *P. citricarpa* or all the *P. paracitricarpa* strains.

Concatenated sequences of these 51 genes resulted in a 84,155-bp alignment. In all, 35 polymorphic sites differentiated all the strains of *P. citricarpa* from all those of *P. paracitricarpa*. The average percentage relatedness between the 51 concatenated genes from *P. citricarpa* and *P. paracitricarpa* was 99.26% (±0.89 SD). The phylogenetic tree pattern was in general consistent with previous identification of *Phyllosticta* strains using *LSU* and *tef1*: strains were assigned to separate clades corresponding to *P. capitalensis*, *P. citrichinaensis*, *P. citribraziliensis*, *P. citriasiana*, *P. paracitricarpa*, and *P. citricarpa* (Fig. 1). In line with its microsatellite multilocus genotype pattern (Information S3), LSVM1238 grouped with the clade including all the *P. paracitricarpa* and reference strains. Therefore, strain LSVM1238 was assigned tentatively to *P. paracitricarpa* and referred to as such in this work (Table 1).

CBS102373 P. citricarpa	516,600 516 TTGGAAGCAA	609 AGGCAGGT	516,619 TTTGCGA	516,629 AGTAACCGTT	516,639 TCCGGAGCA	516,649 TTCCGAGCGAG	516,659 GTCGCTACTGT	516,669 CAGCTTCGTT	^{516,679} TACGAGCGAG	516,689 ACTGGCTCAA	516,699 ATGATGGAATC	516,709 GGCACGTCCT	516,719 CCTCGCTCGCCTG
LSVM1101 P. citricarpa	TTGGAAGCA	GGCAGGT	TTTGCGA	AGTAACCGTT	TCCGGAGCA	TTCCGAGCGAG	STCGCTACTGT	CAGCTTCGTT	TACGAGCGAG	ACTGGCTCAA	TGATGGAATC	GGCACGTCCT	CTCGCTCGCCTG
ZJUCC200937 P. paracitricarpa LSVM204 P. citriasiana	TTGGAAGCA/ TTGGAAGCA/	AGGCAGGT AGGCAGGT	TTTGCGA. TTTGCGA	AGTAACCGTT AGCAACCGTT	TCCGGAGCA TCCGGAGCA	TTCCGAGCGAG TTCCGAGCGAG	GTCGCTACTGT GTCGCTACTGT	AGCTTCGTT AGCTTCGTT	TACGAGCGAG TACGAGCGAG	ACTGGCTCAA ACTGGCTCAA	TGATGGAATC	GGCACGTCCT	
CBS102373 P. citricarpa	516,729 GTTTCTCGCC	516,739 SCGGTAAA	516,749 GACCCTG	GGTACGACAC	9 516 ₁ 7 TTCGAGAAG	69 516 ₁ 77 TTCTCGGCACA	79 516,789 ATGCGCCACAG	516,799 GCCGAGCATC	AGTTCACACA	9 516,81 CGTTGGAGGA	9 516,82 AGTCGCCTCCT	9 516,832 TTGG qCBS-F (cCBS	516,842 GAGCAGCTGCCCC F)
LSVM1101 P. citricarpa	GTTTCTCGC	GCGGTAAA	GACCCTG	GGTACGACAC	TTCGAGAAG	TTCTCGGCACA	TGCGCCACAG	GCCGAGCATC	AGTTCACACA	CGTTGGAGGA	GTCGCCTCCT	qCBS-F (cCBS	GAGCAGCTGCCCC -F)
ZJUCC200937 P. paracitricarpa LSVM204 P. citriasiana	GTTTCTCGCC	GCGGTAAA GCGGTAAA	GACCCTG	GGTACGACAC GGTACGACAC	TTCGAGAAG TTTGAGAAG	TTCTCGGCACA TTCTCGGCACA	TGCGCCACAG		AGTTCACACA AGTTCACACA	CGTTGGAGGA CGTTGGAGGA	GTCGCCTTCG	GAGGTGACTG	GGCAGCTGCTCC GAGGAGCTGCCCC
CBS102373 P. citricarpa	516 ₁ 852 AGTCACCTCC ql	516,86 GAAGAAG PCR-P	CCAGTCC	16,872 TGAATAAAAA	CATGACGGT	516 ₁ 892 GCACCCTCTGC	516,902 5 TCCCAGTCTC	16,912 5 ATTCAAGGGAA <mark>qCBS-R (cCBS-F</mark>	16,922 5 AGCAAGAAAT R)	CAGACTCGAC	516,942 5 CAGAAGCACCA	GACGAGCCTG	16,962 516,972 AGACAAAAACAGA
LSVM1101 P. citricarpa	AGTCACCTCC q	GAAGAAG BS-P	CCAGTCC	TGAATAAAAA	CATGACGGT	GCACCCTCTGC	TCCCAGTCTC	ATTCAAGGGA		CAGACTCGAC	CAGAAGCACCA	GACGAGCCTG	AGACAAAAACAGA
ZJUCC200937 P. paracitricarpa									· ·				
LSVM204 P. citriasiana	AATCACCTC	GGAGAAG GAAGAAG		ТБААТААААА ТБААТААААА	CATGACGGT CATGACGGT	GCACCCTCTGC GCACCCTCTGC	TCCCAGTCTC	ATTCAAGGGA	AGCAAGAAAT AGCAAGAAAT	CAGACTCGAC CAGACTCGAC	AGAAGCACCA AGAAGCACCA	GGCGAGCCTG	AGACAAAAACAGA AGACAAAAACAGA
CBS102373 P. citricarpa	AATCACCTCC 516,91 ATCATCGCG	GGAGAAG GAAGAAG CCCCCCCA		TGAATAAAAA TGAATAAAAA ^{517,002} GCGCGGAAGG	CATGACGGT CATGACGGT 517,012 ACCAAGGAG	GCACCCTCTGC GCACCCTCTGC 517,022 ATTCTCGGCGT	517,032	ATTCAAGGGAA ATCCAAGGGAA 517,042 GCAGAGTCCA	AGCAAGAAAT AGCAAGAAAT 517,052 GTAGTTCAAG	CAGACTCGAC CAGACTCGAC 517,062 CTCGAATCCT	AGAAGCACCA AGAAGCACCA 517,072 CGCATCTCGA	GGCCGAGCCTG/ GACCGAGCCTG/ 517,082 GATGGTTCCC/	AGACAAAAACAGA SACAAAAAACAGA 517,100 ACGAAACATGAGC
CBS102373 P. citricarpa	AA- AATCACCTCC ATCATCGCG/ ATCATCGCG/			TGAATAAAAA TGAATAAAAA GCGCGGGAAGG GCGCGGGAAGG	CATGACGGT CATGACGGT ACCAAGGAG ACCAAGGAG	GCACCCTCTGC GCACCCTCTGC ATTCTCGGCGT	TCCCAGTCTC TCCCAGTCTC TCCGAAGCGGG	ATTCAAGGGA ATCCAAGGGA 517,042 GCAGAGTCCA	AGCAAGAAAT AGCAAGAAAT GTAGTTCAAG GTAGTTCAAG	CAGACTCGAC CAGACTCGAC CTCGAATCCT CTCGAATCCT	CAGAAGCACCA CAGAAGCACCA CGCATCTCGA	GGCGAGCCTG/ GACGAGCCTG/ GATGGTTCCC/ GATGGTTCCC/	AGACAAAAAACAGA AGACAAAAAACAGA ACGAAACATGAGC

Figure 2 Alignment of representative sequences of *Phyllosticta citricarpa*, *P. paracitricarpa* and *P. citriasiana* of the gene located in the scaffold 23 of the *P. citricarpa* CBS102373 strain genome. The sequences of the reference genome are highlighted in yellow. The primers for conventional (cCBS-F/cCBS-R) and real-time PCR (qCBS-F/qCBS-R) are flagged in green and yellow. The probe of the real-time PCR assay (qCBS-P) is flagged in red. SNPs and indels located in the primers or probe's target regions are highlighted in blue.

Full-size DOI: 10.7717/peerj.16354/fig-2

Selection of a region highly specific to *P. citricarpa* and design of specific oligonucleotides

A region showing fixed polymorphisms between the sister species *P. citricarpa* and *P. paracitricarpa* was successfully identified in scaffold_23 of the *P. citricarpa* CBS 102373 genome assembly, between base positions 516,600 and 517,100. In particular, when compared with genomes of *P. citricarpa* and *P. citriasiana* a 7-pb insertion (located between base positions 516,829 and 516,830) and a 7-pb deletion (located between base positions 516,848 and 516,854) was present in all *P. paracitricarpa* genomes included in the selection (Fig. 2). Tentative primers (for cPCR and qPCR) and a probe (for qPCR) able to distinguish *P. citricarpa* from *P. paracitricarpa* were designed targeting both the insertion and the deletion sequences and a few SNPs located upstream. These primers and probes were also designed to be able to distinguish *P. citricarpa* from *P. citricarpa* (cCBS-F or qCBS-F), one in the probe (qCBS-P), and one in the reverse primer (cCBS-F or qCBS-F) (Fig. 2).

Performance values of the assays

Using the conditions and parameters listed in the materials and methods section, both cPCR and qPCR assays successfully amplified DNA from all 26 *P. citricarpa* strains, regardless of their geographic provenance, and did not cross-react with any of the non-target species, including the sister species *P. paracitricarpa* and closely related species *P. citriasiana*. The accuracy of negative results yielded with cCBS and qCBS assays for all the DNAs was checked by successfully amplifying the ITS using the fungal universal ITS5/ITS4 PCR test (Table 2).

Regarding the analytical sensitivity, the limit of detection obtained for qPCR assays was 31.6 pc μL^{-1} using the pDNA diluted in $1\times$ TE buffer as well as for the pDNA diluted in a



Figure 3 Standard curves assessed with a 10-fold serial dilution of the *P. citricarpa* **plasmid DNA positive control.** The plasmid DNA standards were diluted in 1× Tris-EDTA (TE) buffer (circle), in a background of lemon DNA (triangle), or in a background of orange DNA (square). The mean Ct values are calculated with three replicates Full-size DOI: 10.7717/peerj.16354/fig-3

background of 1 ng μ L⁻¹ of the DNA from healthy orange and lemon peel. The LOD for cPCR was higher, with 316 pc μ L⁻¹ in all conditions. For the cPCR assay, 100% of the samples tested at that concentration yielded a positive result with an amplicon size of 107 bp. For the qPCR assay, the R² values of the pDNA in 1× TE buffer, and the pDNA diluted in orange and lemon peel DNA were 0.995, 0.996, and 0.995, respectively (Fig. 3). In all further qCBS runs, a LOD positive control was included in duplicate, and its mean Ct value was used as the cut-off value to declare a DNA extract positive or negative regarding *P. citricarpa*.

The remaining performance values, repeatability, reproducibility, robustness and transferability are summarized in the supplemental sections. Both conventional and real-time PCR assays yielded 100% repeatable and reproducible results (Information S4). The coefficient of variation for repeatability ranged between 0.53% and 1.37%. The coefficient of variation for reproducibility ranged between 3.49% and 4.41%. Non-target DNAs were never amplified, as expected.

The robustness of the qPCR method was assessed by modifying the reaction volume of $\pm 10\%$ and the hybridization temperature of ± 2 °C. Modifying the reaction volume (18 and 22 µL instead of 20 µL) resulted in a few late Ct values with the DNA of *P. citriasiana* (isolate LSVM1146), indicative of cross-reactions. All these amplifications had Ct values over 40 (Information S4). Changes in the hybridization temperature (66 °C and 70 °C instead of 68 °C) affected either sensitivity or specificity. In less stringent conditions at 66 °C, late Ct values (35.28 ± 0.52) were obtained with *P. citriasiana* DNA. However, when

the hybridization/polymerization temperature was increased to 70 °C, the qPCR failed to amplify the target close to the limit of detection ($10 \times LOD$ and $100 \times LOD$), and generated inconsistently delayed Ct values with the target DNA diluted in orange or lemon peel (Information S5).

The transferability of the qPCR method was assessed by comparing five different qPCR master mixes and two qPCR platforms. The No ROX qPCR Core Kit (Eurogentec, Seraing, Belgium) and Takyon No ROX Probe Core Kit (Eurogentec, Seraing, Belgium) yielded satisfactory results in terms of specificity. However, changing the qPCR master mix sometimes compromised the assay's sensitivity and specificity (Information S6). First, the Eurogentec No ROX qPCR Master Mix (Eurogentec, Seraing, Belgium) and the TaKaRa Premix Ex Taq Probe qPCR (runs carried out by IAM) did not amplify any of the positive samples included in the run. Second, the Takyon No ROX Probe Core Kit (Eurogentec, Seraing, Belgium) yielded cross-reactions with the DNA of *P. citriasiana* (isolate LSVM1146). Third, the QuantaBio PerfeCTa qPCR ToughMix yielded late Ct amplifications of the target DNA (>35 Ct). Regarding the qPCR platform, runs performed with the Roche Light Cycler 480 using optimized conditions were generally similar to those using the Rotorgene thermocycler.

Tests on fruits with CBS symptoms

Fruits of different origins and varieties were analyzed with both the cCBS and the qCBS assays. These analyses were compared with those of the VGP reference method (VGP qPCR). All DNA extracts yielding negative results with all three *P. citricarpa* assays were also tested with 18S uni qPCR (*loos et al., 2009*) in order to verify the quality of the DNA extract (Table 3).

Out of the 107 DNAs included, both qPCR assays yielded 100% identical results with 95 positive samples and 12 negative results (Table 3). The end-point cCBS PCR provided identical results except for three samples which could not be tested. On two occasions, the VGP qPCR assay yielded a late mean Ct value (>35), whereas cCBS and qCBS assay results were negative. However, according to our internal rules these late Ct values were not considered as positive, since they were later than the mean Ct generated with the VGP assay's limit of detection control. Considering the VGP qPCR assay as the reference method (*EPPO*, *2020*), the relative sensitivity, specificity and accuracy of the cCBS cPCR and qCBS qPCR assays were all 100%.

The mean Ct value obtained for the whole set of positive samples was significantly higher with the qCBS qPCR (30.52 ± 3.4), targeting a single-copy region, than with the VGP assay (21.51 ± 3.1) that targets a multi copy operon.

DISCUSSION

In this work, genomes from different *Phyllosticta* species were used both to further examine their phylogenetic relationships, and to develop a more specific assay targeting the regulated species *P. citricarpa*. This perfectly illustrates the power of comparative genomics and the support it provides in managing priority fungal plant pathogens. Indeed, a precise identification of the pathogen is a prerequisite first to draft regulations, which refer to

specific taxon names, and second to develop and use an accurate detection test for early and specific detection in order to prevent the pathogen's introduction into a country or to attempt to eradicate it as early as possible once detected for the first time. This strategy may also apply to other high priority pathogens.

The first achievement of this work is the confirmation that the strains of *P. citricarpa* and *P. paracitricarpa* included in this work group in two distinct phylogenetic clades. A multilocus alignment of 51 concatenated genes is in line with the results of *Guarnaccia et al.* (2017) and *Wang et al.* (2023). The phylogenies of *Guarnaccia et al.* (2017) and *Wang et al.* (2023) were inferred using six genes from the core genome. *Guarnaccia et al.* (2019) have also used whole genomes to assess the genetic relatedness between the species. All these studies show a separation of the two phylogenetic clades. Additionally, the same clustering pattern was observed on a subset of ten strains by microsatellite genotyping. Our work demonstrates that genetic differentiation between the two clades is very low (>99%), with more than 50% of the genes included that were monomorphic. However, a certain level of genetic structure occurs within each clade, as illustrated by the support of the branches in the phylogenetic tree. Although beyond the scope of this work, the inclusion of a larger number of strains from different origins, combined with analysis of genealogical concordance (*Gladieux et al.*, 2018), would be necessary to accurately assess the taxonomy of *P. citricarpa* and *P. paracitricarpa*.

One important result of our work concerns the (un)reliability of using the *tef1* gene to identify some isolates of *P. citricarpa* and *P. paracitricarpa*. Indeed, our phylogeny, together with microsatellite genotyping and the negative testing of its DNA with qCBS and cCBS PCR argue in favor of the assignation of the Bangladeshi strain LSVM1238 to the *P. paracitricarpa* clade. *P. paracitricarpa* has intra-species polymorphisms in *tef1* (Information S7), whereas "hallmarks" of *P. paracitricarpa* were observed in *P. citricarpa*, although having a low allele frequency. This is in line with the pattern observed for nine genes (17.6%) used in our phylogeny study. Therefore, utilization of *tef1* in the context of quarantine testing can present a risk of false positives.

The second output of our comparative genomics was the development and validation of new conventional and real-time PCR assays to accurately detect the CBS-causing agent *Phyllosticta citricarpa*. This species is the only *Phyllosticta* species which is internationally regulated, being a quarantine fungus for numerous regional plant protection organizations in the world. Other species are also able to cause spots on citrus fruits, such as *P. citriasiana*, *P. citrimaxima*, *P. citrichinaensis* (*Guarnaccia et al.*, 2019), and the recently described sister species, *P. paracitricarpa*. This latter species was recently found to have a wider host and geographic distribution on *Citrus* spp. in China (*Wang et al.*, 2023). Therefore, the protocols for detecting the only quarantine species, *P. citricarpa*, must be sufficiently specific to avoid any cross-reaction with these other pathogenic species, as well as with endophytic species occurring on fruits or leaves. To our knowledge, all the current *P. citricarpa* detection protocols based on molecular assays targeting the ITS rDNA region must produce false positive results with *P. paracitricarpa* due to their genetic closeness. This is in particular the case with the PCR and qPCR assays of *van Gent-Pelzer et al.*

(2007), *Schirmacher et al.* (2019), and *Peres et al.* (2007), which are recommended in international standards (*EPPO*, 2020; *IPPC*, 2014).

In addition, while proceeding through the steps of comparative genomics conducted in this work, it was observed that the sequence of the housekeeping gene *tef1* varied across the five *P. paracitricarpa* isolates. This contradicts reports saying that some of the SNPs in *tef1* could be used to unequivocally identify *P. citricarpa* by sequencing (*EPPO*, 2020) or qPCR (*Zajc et al.*, 2022), but our own observations suggest that these methods should be used with caution, since *tef1* from some *P. paracitricarpa* strains may display the "hallmarks" of *P. citricarpa* (Information S7).

The comparative genomics approach reported here screened regions that were highly polymorphic from one sister species to another. The region located on *P. citricarpa* genome scaffold_23 was also present in *P. paracitricarpa*, but conserved at the intraspecific level while showing a high degree of interspecific polymorphism. It was therefore fit for the design of specific oligonucleotides.

The specificity of an assay targeting a quarantine organism should be thoroughly verified and validated. First, it should be stressed that a comprehensive and representative panel of strains or genomes is required for the validation step, in order to cover as much natural genetic diversity as possible. Even with these precautions, the test's specificity must be constantly checked, as new strains with a slightly different genetic background may be discovered over time. The observation of unexpected variation in *tef1* within *P. citricarpa* is a good example, and variation in the region located on *P. citricarpa* genome scaffold_23 may never be ruled out as a possibility. In this respect, it is of utmost importance to report the occurrence of new strains that cause unexpected results (*Gupta et al., 2018*), especially when related to quarantine pests involving severe regulatory measures. When feasible, it is also important to include several other species from the same genus during the optimization/validation steps, and not only the closest species. Hence, in our work to design oligonucleotides that could discriminate the closely related *P. citricarpa* from *P. paracitricarpa*, more stringent reaction conditions had to be applied to prevent cross-amplification of the DNA of the more distant species, *P. citriasiana*.

The validation results provided herein support the need to carry out transferability and robustness studies, especially when stringency conditions are very strict because there is a need to discriminate between closely related species (*Ioos et al., 2019*). In the course of this work, an assessment of other commercial qPCR master mixes showed that some of them dramatically reduced the DNA amplification yield or hampered hybridization of the primers or probe, thus leading to an unacceptable loss of sensitivity in the qCBS qPCR assay. It is therefore essential before using the tests routinely and for regulatory analyses, to ensure that under new laboratory conditions, and using commercial reagents that may differ from those used in the original work, the reaction remains sufficiently sensitive and specific. Overall, in our conditions and with our reagents, an increase in the annealing temperature to 70 °C was the only deviation that generated false negative results, except with *P. citricarpa* gDNA diluted in orange peel DNA. This high temperature significantly affected the sensitivity, probably due to loss of DNA polymerase efficiency or poor probe hybridization. This is also probably the reason why no Ct value could be generated with the

panel of samples analyzed by IAM, using a qPCR master mix (TaKaRa Premix Ex Taq TM Probe qPCR; TaKaRa, Kusatsu, Japan) containing a DNA polymerase which the supplier recommends should be used at a polymerization temperature range of 56–64 °C. Likewise, in our study, changing the qPCR master mix brand or type also affected the specificity of the VCG qPCR assay, since false-positive results were frequently obtained with the DNA of *P. citriasiana*.

In addition, non-target DNA from *P. citriasiana* strain LSVM 1146 was occasionally amplified in the lowest stringency conditions (*i.e.*, using a reaction volume of 18 μ L) and systematically amplified with a 66 °C annealing temperature. However, in both cases, all the Ct values generated were later than the Ct generated by the LOD positive control, and therefore considered as negative according to our internal rule of decision. Finally, in the context of an official analysis targeting the regulated *P. citricarpa*, our recommendation would be that the more specific cCBS PCR or qCBS qPCR positive results can be confirmed with the VGP qPCR test, which is a bit more sensitive but less specific, or the assay of *Zajc et al.* (2022). The three assays target different regions of the genome, which will secure the diagnosis.

ACKNOWLEDGEMENTS

The authors would like to acknowledge the INRAE MIGALE bioinformatics platform (https://migale.inra.fr/) and the Freiburg Galaxy Team from the University of Freiburg (Germany) for providing computational resources for bioinformatics. The authors would like to thank Céline Jeandel, Anses Plant Health laboratory, for the microsatellite genotyping.

ADDITIONAL INFORMATION AND DECLARATIONS

Funding

The mycology research unit of the ANSES Plant Health Laboratory (LSV) is supported by a grant managed by the French National Research Agency (ANR) as part of the French government's "Investing for the Future" (PIA) program (ANR-11-LABX-0002-01, Laboratory of Excellence-ARBRE). The specific work focusing on the improvement and validation of the CBS detection tool was supported by EU Grant S12.809457, in the framework of the European Union Reference Laboratory's work program on fungi pathogenic to plants. The team at Zhejiang University was supported by the National Natural Science Foundation of China (No: 32102148) and China Agriculture Research System (CARS-26). The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Grant Disclosures

The following grant information was disclosed by the authors: ANSES Plant Health Laboratory (LSV). French National Research Agency (ANR). French government's "Investing for the Future" (PIA) program: ANR-11-LABX-0002-01. EU Grant: S12.809457.

European Union Reference Laboratory's Work Program on Fungi Pathogenic to Plants. National Natural Science Foundation of China: 32102148. China Agriculture Research System: CARS-26.

Competing Interests

The authors declare there are no competing interests.

Author Contributions

- Renaud Ioos conceived and designed the experiments, performed the experiments, analyzed the data, prepared figures and/or tables, authored or reviewed drafts of the article, and approved the final draft.
- Alexandra Puertolas conceived and designed the experiments, performed the experiments, analyzed the data, prepared figures and/or tables, authored or reviewed drafts of the article, and approved the final draft.
- Camille Renault performed the experiments, analyzed the data, prepared figures and/or tables, authored or reviewed drafts of the article, and approved the final draft.
- Aida Ndiaye performed the experiments, analyzed the data, authored or reviewed drafts of the article, and approved the final draft.
- Isabelle Cerf-Wendling performed the experiments, authored or reviewed drafts of the article, and approved the final draft.
- Jacqueline Hubert performed the experiments, authored or reviewed drafts of the article, and approved the final draft.
- Wen Wang performed the experiments, analyzed the data, authored or reviewed drafts of the article, and approved the final draft.
- Chen Jiao conceived and designed the experiments, performed the experiments, analyzed the data, prepared figures and/or tables, authored or reviewed drafts of the article, and approved the final draft.
- Hongye Li performed the experiments, analyzed the data, authored or reviewed drafts of the article, and approved the final draft.
- Josep Armengol performed the experiments, analyzed the data, authored or reviewed drafts of the article, and approved the final draft.
- Jaime Aguayo conceived and designed the experiments, performed the experiments, analyzed the data, prepared figures and/or tables, authored or reviewed drafts of the article, and approved the final draft.

DNA Deposition

The following information was supplied regarding the deposition of DNA sequences: The genome assemblies are available at DDBJ/ENA/GenBank: PRJNA949004.

Data Availability

The following information was supplied regarding data availability:

The raw measurements are available in the Supplemental Files.

Supplemental Information

Supplemental information for this article can be found online at http://dx.doi.org/10.7717/ peerj.16354#supplemental-information.

REFERENCES

- Ahmed Y, Hussein A, Hubert J, Fourrier-Jeandel C, Aguayo J, Ioos R. 2020. New multiplex conventional PCR and quadruplex real-time PCR assays for one-tube detection of Phyllosticta citricarpa, Elsinoë fawcettii, Elsinoë australis, and Pseudocercospora angolensis in Citrus: development and validation. *Applied Microbiology and Biotechnology* **104(21)**:9363–9385 DOI 10.1007/s00253-020-10880-w.
- Baayen R, Bonants P, Verkley G, Carroll G, van der Aa H, deWeerdt M. 2002. Non-pathogenic isolates of the citrus black spot fungus, Guignardia citricarpa, identified as a cosmopolitan endophyte of woodyplants, Guignardia mangiferae (Phyllosticta capitalensis). *Phytopathology* 92(5):464–477 DOI 10.1094/PHYTO.2002.92.5.464.
- Bergeron M-J, Feau N, Stewart D, Tanguay P, Hamelin R. 2019. Genome-enhanced detection and identification of fungal pathogens responsible for pine and poplar rust diseases. *PLOS ONE* 14(2):e0210952 DOI 10.1371/journal.pone.0210952.
- Bolger AM, Lohse M, Usadel B. 2014. Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics* 30(15):2114–2120 DOI 10.1093/bioinformatics/btu170.
- Bonants PM, Carroll G, de Weerdt M, van Brouwershaven I, Baayen R. 2003. Development and validation of a fast PCR-based detection method for pathogenic isolates of the citrus black spot fungus, Guignardia citricarpa. *European Journal of Plant Pathology* **109(5)**:503–513 DOI 10.1023/A:1024219629669.
- Boughalleb-M'Hamdi N, Fathallah A, Benfradj N, Ben Mahmoud S, Bel Hadj Ali A, Medhioub L, Jaouadi I, Hubert J, Jeandel C, Ioos R. 2020. First report of citrus black spot disease caused by Phyllosticta citricarpa on Citrus limon and C. sinensis in Tunisia. *New Disease Reports* 41(1):8 DOI 10.5197/j.2044-0588.2020.041.008.
- Carbone I, Kohn L. 1999. A method for designing primer sets for speciation studies in filamentous ascomycetes. *Mycologia* 91(3):553–556 DOI 10.1080/00275514.1999.12061051.
- Carstens E, Linde CC, Slabbert R, Miles AK, Donovan NJ, Li H, Zhang K, Dewdney MM, Rollins JA, Glienke C, Schutte GC, Fourie PH, McLeod A. 2017. A global perspective on the population structure and reproductive system of Phyllosticta citricarpa. *Phytopathology* 107(6):758–768 DOI 10.1094/PHYTO-08-16-0292-R.
- **Coetzee B, Carstens E, Dewdney M, Fourie PH, Bester-van der Merwe AE. 2021.** Extending the knowledge of Phyllosticta citricarpa population structure in USA with re-sequencing and genome wide analysis. *Physiological and Molecular Plant Pathology* **113**:101591 DOI 10.1016/j.pmpp.2020.101591.
- de Hoog GS, van den Ende AHGG. 1998. Molecular diagnostics of clinical strains of filamentous Basidiomycetes. *Mycoses* 41(5–6):183–189 DOI 10.1111/j.1439-0507.1998.tb00321.x.
- **Dutech C, Prospero S, Heinzelmann R, Fabreguettes O, Feau N. 2016.** Rapid identification of polymorphic sequences in non-model fungal species: the PHYLORPH method tested in Armillaria species. *Forest Pathology* **46(**4):298–308 DOI 10.1111/efp.12256.
- Edgar RC. 2004. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research* 32(5):1792–1797 DOI 10.1093/nar/gkh340.

- EFSA. 2014. Scientific opinion on the risk of Phyllosticta citricarpa (Guignardia citricarpa) for the EU territory with identification and evaluation of risk reduction options. *EFSA Journal* 12(2):3557 DOI 10.2903/j.efsa.2014.3557.
- EPPO. 2020. PM 7/017 (3) Phyllosticta citricarpa (formerly Guignardia citricarpa). *EPPO Bulletin* 50(3):440–461 DOI 10.1111/epp.12700.
- EPPO. 2022. EPPO global database. Available at https://gd.eppo.int2022.
- **European Union Commission. 2019.** Commission implementing regulation (EU) 2019/2072 of 28 November 2019 establishing uniform conditions for the implementation of regulation (EU) 2016/2031 of the European parliament and the council, as regards protective measures against pests of plants, and repealing commission regulation (EC) No 690/2008 and amending commission implementing regulation (EU) 2018/2019. OJ L. Vol. 319, 1–279. *Available at http://data.europa.eu/eli/reg_impl/2019/2072/oj.*
- Feau N, Beauseigle S, Bergeron M-J, Bilodeau G, Birol I, Cervantes-Arango S, Dhillon B, Dale AL, Herath P, Jones SJM, Lamarche J, Ojeda Alayon D, Sakalidis M, Taylor G, Tsui C, Uzunovic A, Yueh H, Tanguay P, Hamelin R. 2018. Genome-enhanced detection and identification (GEDI) of plant pathogens. *PeerJ* 6(3):e4392 DOI 10.7717/peerj.4392.
- Feau N, Ojeda Alayon D, Beauseigle S, Bilodeau G, Brar A, Cervantes-Arango S, Dale A, Dhillon B, Hammett C, Herath P, Shamoun S, Tsui C, Tanguay P, Hamelin R. 2019. Improved detection and identification of the sudden oak death pathogen Phytophthora ramorum and the Port Orford cedar root pathogen Phytophthora lateralis. *Plant Pathology* 68(5):878–888 DOI 10.1111/ppa.13015.
- Galvañ A, Boughalleb-M'Hamdi N, Benfradj N, Mannai S, Lázaro E, Vicent A. 2022. Climate suitability of the Mediterranean Basin for citrus black spot disease (Phyllosticta citricarpa) based on a generic infection model. *Scientific Reports* 12(1):19876 DOI 10.1038/s41598-022-22775-z.
- Gladieux P, Condon B, Ravel S, Soanes D, Maciel JLN, Nhani A, Chen L, Terauchi R, Lebrun M-H, Tharreau D, Mitchell T, Pedley KF, Valent B, Talbot NJ, Farman M, Fournier E. 2018.
 Gene flow between divergent cereal- and grass-specific lineages of the rice blast fungus Magnaporthe oryzae. *mBio* 9(1):e01219-17 DOI 10.1128/mBio.01219-17.
- Glienke C, Pereira OL, Stringari D, Fabris J, Kava-Cordeiro V, Galli-Terasawa L, Cunnington J, Shivas RG, Groenewald JZ, Crous PW. 2011. Endophytic and pathogenic Phyllosticta species, with reference to those associated with Citrus Black Spot. *Persoonia* 26(1):47–56 DOI 10.3767/003158511X569169.
- Gouy M, Tannier E, Comte N, Parsons DP. 2021. Seaview version 5: a multiplatform software for multiple sequence alignment, molecular phylogenetic analyses, and tree reconciliation.
 In: Katoh K, ed. *Multiple Sequence Alignment: Methods and Protocols*. New York, USA: Springer, 241–260.
- Guarnaccia V, Gehrmann T, Silva-Junior GJ, Fourie PH, Haridas S, Vu D, Spatafora J, Martin FM, Robert V, Grigoriev IV, Groenewald JZ, Crous PW. 2019. Phyllosticta citricarpa and sister species of global importance to Citrus. *Molecular Plant Pathology* 20(12):1619–1635 DOI 10.1111/mpp.12861.
- Guarnaccia V, Groenewald JZ, Li H, Glienke C, Carstens E, Hattingh V, Fourie PH, Crous PW.
 2017. First report of Phyllosticta citricarpa and description of two new species, P.
 paracapitalensis and P. paracitricarpa, from citrus in Europe. *Studies in Mycology* 87:161–185
 DOI 10.1016/j.simyco.2017.05.003.
- Gupta DR, Avila CR, Win J, Soanes DM, Ryder LS, Croll D, Bhattacharjee P, Hossain MS, Mahmud NU, Mehebub MS, Surovy MZ, Rahman MM, Talbot NJ, Kamoun S, Islam MT.

2018. Cautionary notes on use of the MoT3 diagnostic assay for Magnaporthe oryzae wheat and rice blast isolates. *Phytopathology* **109(4)**:504–508 DOI 10.1094/PHYTO-06-18-0199-LE.

- Gurevich A, Saveliev V, Vyahhi N, Tesler G. 2013. QUAST: quality assessment tool for genome assemblies. *Bioinformatics* 29(8):1072–1075 DOI 10.1093/bioinformatics/btt086.
- Huson DH, Cetinkaya B. 2023. Visualizing incompatibilities in phylogenetic trees using consensus outlines. *Frontiers in Bioinformatics* 3:242 DOI 10.3389/fbinf.2023.1155286.
- International Standardization Organization. 2016. ISO 16140-1:2016 Microbiology of the food chain—Method validation. *Available at https://www.iso.org/standard/54869.html*.
- Ioos R, Aloi F, Piškur B, Guinet C, Mullett M, Berbegal M, Bragança H, Cacciola SO, Oskay F, Cornejo C, Adamson K, Douanla-Meli C, Kačergius A, Martínez-Álvarez P, Nowakowska JA, Luchi N, Vettraino AM, Ahumada R, Pasquali M, Fourie G, Kanetis L, Alves A, Ghelardini L, Dvořák M, Sanz-Ros A, Diez JJ, Baskarathevan J, Aguayo J. 2019. Transferability of PCR-based diagnostic protocols: an international collaborative case study assessing protocols targeting the quarantine pine pathogen Fusarium circinatum. *Scientific Reports* 9:8195 DOI 10.1038/s41598-019-44672-8.
- Ioos R, Fourrier C, Iancu G, Gordon TR. 2009. Sensitive detection of *Fusarium circinatum* in pine seed by combining an enrichment procedure with a real-time polymerase chain reaction using dual-labeled probe chemistry. *Phytopathology* 99(5):582–590 DOI 10.1094/PHYTO-99-5-0582.
- **Ioos R, Iancu G. 2008.** European collaborative studies for the validation of PCR-based detection tests targeting regulated fungi and oomycetes. *Bulletin OEPP/EPPO Bulletin* **38(2)**:198–204 DOI 10.1111/j.1365-2338.2008.01203.x.
- **IPPC. 2014.** ISPM 27. 2006: annex 5 Phyllosticta citricarpa (McAlpine) Aa on fruit. Rome: IPPC, FAO.
- Jackman SD, Vandervalk BP, Mohamadi H, Chu J, Yeo S, Hammond SA, Jahesh G, Khan H, Coombe L, Warren RL, Birol I. 2017. ABySS 2.0: resource-efficient assembly of large genomes using a Bloom filter. *Genome Research* 27(5):768–777 DOI 10.1101/gr.214346.116.
- Kiely TB. 1948. Preliminary studies on Guignardia citricarpa, n.sp.: the ascigerous stage of Phoma citricarpa McAlp. and its relation to black spot of Citrus. *Proceedings of the Linnean Society of New South Wales* 73:249–292.
- Kivelä M, Arnaud-Haond S, Saramäki J. 2015. EDENetworks: a user-friendly software to build and analyse networks in biogeography, ecology and population genetics. *Molecular Ecology Resources* 15(1):117–122 DOI 10.1111/1755-0998.12290.
- Li H, Durbin R. 2009. Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* 25(14):1754–1760 DOI 10.1093/bioinformatics/btp324.
- Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, Marth G, Abecasis G, Durbin R. 2009. The sequence alignment/map format and SAMtools. *Bioinformatics* 25(16):2078–2079 DOI 10.1093/bioinformatics/btp352.
- Manni M, Berkeley MR, Seppey M, Simão FA, Zdobnov EM. 2021. BUSCO update: novel and streamlined workflows along with broader and deeper phylogenetic coverage for scoring of eukaryotic, prokaryotic, and viral genomes. *Molecular Biology and Evolution* **38(10)**:4647–4654 DOI 10.1093/molbev/msab199.
- Marthey S, Aguileta G, Rodolphe F, Gendrault A, Giraud T, Fournier E, Lopez-Villavicencio M, Gautier A, Lebrun M-H, Chiapello H. 2008. FUNYBASE: a FUNgal phYlogenomic dataBASE. *BMC Bioinformatics* 9(1):456 DOI 10.1186/1471-2105-9-456.
- Martin M. 2011. Cutadapt removes adapter sequences from high-throughput sequencing reads. *EMBnet.journal* 17(1):10 DOI 10.14806/ej.17.1.200.

- McKenna A, Hanna M, Banks E, Sivachenko A, Cibulskis K, Kernytsky A, Garimella K, Altshuler D, Gabriel S, Daly M, DePristo MA. 2010. The genome analysis toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data. *Genome Research* 20(9):1297–1303 DOI 10.1101/gr.107524.110.
- Moncalvo JM. 1995. Phylogenetic relationships in Ganoderma inferred from the internal transcribed spacers and 25S ribosomal DNA sequences. *Mycologia* 87(2):223–238 DOI 10.1080/00275514.1995.12026524.
- O'Donnell K, Kistler HC, Cigelnik E, Ploetz RC. 1998. Multiple evolutionary origins of the fungus causing Panama disease of banana: concordant evidence from nuclear and mitochondrial gene genealogies. *Proceedings of the National Academy of Sciences of the United States of America* 95(5):2044–2049 DOI 10.1073/pnas.95.5.2044.
- Peres NA, Harakava R, Carroll GC, Adaskaveg JE, Timmer LW. 2007. Comparison of molecular procedures for detection and identification of Guignardia citricarpa and G. mangiferae. *Plant Disease* 91(5):525–531 DOI 10.1094/PDIS-91-5-0525.
- Pieck ML, Ruck A, Farman ML, Peterson GL, Stack JP, Valent B, Pedley KF. 2017. Genomicsbased marker discovery and diagnostic assay development for wheat blast. *Plant Disease* 101(1):103–109 DOI 10.1094/PDIS-04-16-0500-RE.
- Robinson JT, Thorvaldsdóttir H, Wenger AM, Zehir A, Mesirov JP. 2017. Variant review with the integrative genomics viewer. *Cancer Research* 77(21):e31–e34 DOI 10.1158/0008-5472.CAN-17-0337.
- Rodrigues CM, Takita MA, Silva NV, Ribeiro-Alves M, Machado MA. 2019. Comparative genome analysis of Phyllosticta citricarpa and Phyllosticta capitalensis, two fungi species that share the same host. *BMC Genomics* 20(1):554 DOI 10.1186/s12864-019-5911-y.
- Ronquist F, Teslenko M, van der Mark P, Ayres DL, Darling A, Höhna S, Larget B, Liu L, Suchard MA, Huelsenbeck JP. 2012. MrBayes 3.2: efficient Bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology* **61**(3):539–542 DOI 10.1093/sysbio/sys029.
- Schirmacher AM, Tomlinson JA, Barnes AV, Barton VC. 2019. Species-specific real-time PCR for diagnosis of Phyllosticta citricarpa on Citrus species. *EPPO Bulletin* **49(2)**:306–313 DOI 10.1111/epp.12555.
- Schoch CL, Seifert KA, Huhndorf S, Robert V, Spouge JL, Levesque CA, Chen W, Fungal Barcoding Consortium. 2012. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *Proceedings of the National Academy of Sciences of the* United States of America 109(16):6241–6246 DOI 10.1073/pnas.1117018109.
- Simpson JT, Wong K, Jackman SD, Schein JE, Jones SJM, Birol İ. 2009. ABySS: a parallel assembler for short read sequence data. *Genome Research* **19(6)**:1117–1123 DOI 10.1101/gr.089532.108.
- **Stamatakis A. 2014.** RAxML version 8: a tool for phylogenetic analysis and post-analysis of large phylogenies. *Bioinformatics* **30(9)**:1312–1313 DOI 10.1093/bioinformatics/btu033.
- Stanke M, Schöffmann O, Morgenstern B, Waack S. 2006. Gene prediction in eukaryotes with a generalized hidden Markov model that uses hints from external sources. *BMC Bioinformatics* 7(1):62 DOI 10.1186/1471-2105-7-62.
- Talavera G, Castresana J. 2007. Improvement of phylogenies after removing divergent and ambiguously aligned blocks from protein sequence alignments. *Systematic Biology* 56(4):564–577 DOI 10.1080/10635150701472164.

- Thierry M, Gladieux P, Fournier E, Tharreau D, Ioos R. 2019. A genomic approach to develop a new qPCR test enabling detection of the Pyricularia oryzae lineage causing wheat blast. *Plant Disease* 104(1):60–70 DOI 10.1094/PDIS-04-19-0685-RE.
- Untergasser A, Cutcutache I, Koressaar T, Ye J, Faircloth BC, Remm M, Rozen SG. 2012. Primer3—new capabilities and interfaces. *Nucleic Acids Research* 40(15):e115 DOI 10.1093/nar/gks596.
- Van der Aa HA. 1973. Studies in Phyllosticta I. Studies in Mycology 5:1-110.
- van Gent-Pelzer MPE, van Brouwershaven IR, Kox LFF, Bonants PJM. 2007. A TaqMan PCR method for routine diagnosis of the quarantine fungus Guignardia citricarpa on citrus fruit. *Journal of Phytopathology* 155(6):357–363 DOI 10.1111/j.1439-0434.2007.01244.x.
- Vilgalys R, Hester M. 1990. Rapid genetic identification and mapping of enzymatically amplified ribosomal DNA from several Cryptococcus species. *Journal of Bacteriology* 172(8):4238–4246 DOI 10.1128/jb.172.8.4238-4246.1990.
- Wang X, Chen G, Huang F, Zhang J, Hyde KD, Li H. 2012. Phyllosticta species associated with citrus diseases in China. *Fungal Diversity* 52(1):209–224 DOI 10.1007/s13225-011-0140-y.
- Wang W, Xiong T, Zeng Y, Li W, Jiao C, Xu J, Li H. 2023. Clonal expansion in multiple Phyllosticta species causing citrus black spot or similar symptoms in China. *Journal of Fungi* 9(4):449 DOI 10.3390/jof9040449.
- Wang N-Y, Zhang K, Huguet-Tapia JC, Rollins JA, Dewdney MM. 2016. Mating type and simple sequence repeat markers indicate a clonal population of Phyllosticta citricarpa in Florida. *Phytopathology*® 106(11):1300–1310 DOI 10.1094/PHYTO-12-15-0316-R.
- White TJ, Bruns TD, Lee SB, Taylor JW. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis DGN, White T, eds. *PCR—Protocols and Applications—A Laboratory Manual*. New York: Academic Press, 315–322.
- Wikee S, Lombard L, Nakashima C, Motohashi K, Chukeatirote E, Cheewangkoon R, McKenzie EHC, Hyde KD, Crous PW. 2013. A phylogenetic re-evaluation of Phyllosticta (Botryosphaeriales). *Studies in Mycology* 76(1):1–29 DOI 10.3114/sim0019.
- Wulandari NF, To-anun C, Hyde KD, Duong LM, de Gruyter J, Meffert JP, Groenewald JZ, Crous PW. 2009. *Phyllosticta citriasiana* sp. nov., the cause of Citrus tan spot of Citrus maxima in Asia. *Fungal Diversity* 34:23–39.
- Zajc J, Kogej ZZ, Fišer S, Gostinčar C, Vicent A, Domenech AG, Riccioni L, Boonham N, Ravnikar M, Kogovšek P. 2022. Highly specific qPCR and amplicon sequencing method for detection of quarantine citrus pathogen Phyllosticta citricarpa applicable for air samples. *Plant Pathology* 72(3):548–563 DOI 10.1111/ppa.13679.